

Appendix H

Survey locations



Figure 4h - Survey locations

Legend

 Project Area	Flora	Fauna
 Study Area	● Flora Observation	● Fauna Observation
 Roads	★ RE Observation	 Anabat locations
 Cadastre	● RE Quarternary Assessment	▲ General Habitat Survey
💧 Water Feature	● RE Tertiary Assessment	



© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Eri, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Eri, CGIAR, Maxar © The State of Queensland, © Commonwealth of Australia, Based on ABS data, Bureau of Meteorology, © CSIRO Australia




Figure 4i - Survey locations

Legend

 Project Area	Flora	Fauna
 Study Area	● Flora Observation	● Fauna Observation
 Roads	★ RE Observation	 Anabat locations
 Cadastre	● RE Quarternary Assessment	▲ General Habitat Survey
💧 Water Feature	● RE Tertiary Assessment	



© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Esri, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Esri, CGIAR, Maxar © The State of Queensland, © Commonwealth of Australia, Based on ABS data, Bureau of Meteorology, © CSIRO Australia



Figure 4j - Survey locations

Legend

 Project Area	Flora	Fauna
 Study Area	● Flora Observation	★ Fauna Observation
 Roads	★ RE Observation	 Anabat locations
 Cadastre	● RE Quarternary Assessment	▲ General Habitat Survey
💧 Water Feature	● RE Tertiary Assessment	



© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Esri, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Esri, CGIAR, Maxar © The State of Queensland, © Commonwealth of Australia, Based on ABS data, Bureau of Meteorology, © CSIRO Australia




Figure 4k - Survey locations

Legend

 Project Area	Flora	Fauna
 Study Area	● Flora Observation	● Fauna Observation
 Roads	★ RE Observation	■ Anabat locations
 Cadastre	● RE Quarternary Assessment	▲ General Habitat Survey
💧 Water Feature	● RE Tertiary Assessment	



© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Esri, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Esri, CGIAR, Maxar © The State of Queensland, © Commonwealth of Australia, Based on ABS data, Bureau of Meteorology, © CSIRO Australia



Figure 4I - Survey locations

Legend

 Project Area	Flora	Fauna
 Study Area	● Flora Observation	● Fauna Observation
 Roads	★ RE Observation	 Anabat locations
 Cadastre	● RE Quarternary Assessment	▲ General Habitat Survey
💧 Water Feature	● RE Tertiary Assessment	



© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Eri, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Eri, CGIAR, Maxar © The State of Queensland, © Commonwealth of Australia, Based on ABS data, Bureau of Meteorology, © CSIRO Australia

Appendix I

Species list

Appendix E Species lists

Table 17 Flora species list

Family	Scientific Name	EPBC Act Status
Malvaceae	<i>Abutilon sp.</i>	-
Leguminosae	<i>Acacia decora</i>	Least concern
Leguminosae	<i>Acacia disparrima</i>	Least concern
Leguminosae	<i>Acacia excelsa</i>	Least concern
Leguminosae	<i>Acacia fasciculifera</i>	Least concern
Leguminosae	<i>Acacia holosericea</i>	Least concern
Leguminosae	<i>Acacia implexa</i>	Least concern
Leguminosae	<i>Acacia leiocalyx</i>	Least concern
Leguminosae	<i>Acacia maidenii</i>	Least concern
Leguminosae	<i>Acacia melanoxylon</i>	Least concern
Leguminosae	<i>Acacia salicina</i>	Least concern
Leguminosae	<i>Acacia sp.</i>	-
Leguminosae	<i>Acacia sp. indet. (infertile)</i>	-
Asteraceae	<i>Ageratum conyzoides</i> *	-
Asteraceae	<i>Ageratum houstonianum</i> *	-
Lamiaceae	<i>Ajuga australis</i>	Least concern
Leguminosae	<i>Albizia lebbek</i> *	Least concern
Euphorbiaceae	<i>Alchornea ilicifolia</i>	Least concern
Rhamnaceae	<i>Alphitonia excelsa</i>	Least concern
Amaranthaceae	<i>Alternanthera pungens</i> *	-
Apocynaceae	<i>Alyxia ruscifolia</i>	Least concern
Polygonaceae	<i>Antigonon leptopus</i> *	-
Araucariaceae	<i>Araucaria cunninghamii</i>	Least concern
Papaveraceae	<i>Argemone mexicana</i> *	-
Papaveraceae	<i>Argemone ochroleuca</i> *	-
Apocynaceae	<i>Asclepias curassavica</i> *	-
Asteraceae	<i>Aster subulatus</i> *	-
Salviniaceae	<i>Azolla sp.</i>	-
Asteraceae	<i>Bidens pilosa</i> *	-
Poaceae	<i>Bothriochloa bladhii</i>	Least concern
Sterculiaceae	<i>Brachychiton australis</i>	Least concern
Sterculiaceae	<i>Brachychiton bidwillii</i>	Least concern
Phyllanthaceae	<i>Breynia oblongifolia</i>	Least concern
Phyllanthaceae	<i>Bridelia leichhardtii</i>	Least concern

Family	Scientific Name	EPBC Act Status
Crassulaceae	<i>Bryophyllum delagoense</i> *	-
Crassulaceae	<i>Bryophyllum x houghtonii</i> *	-
Capparaceae	<i>Capparis canescens</i>	Least concern
Sapindaceae	<i>Cardiospermum grandiflorum</i> *	-
Apocynaceae	<i>Carissa ovata</i>	Least concern
Apocynaceae	<i>Cascabela thevetia</i> *	-
Casuarinaceae	<i>Casuarina cunninghamiana</i>	Least concern
Asteraceae	<i>Centipeda minima</i>	Least concern
Leguminosae	<i>Chamaecrista rotundifolia</i> *	-
Pteridaceae	<i>Cheilanthes sieberi</i>	Least concern
Poaceae	<i>Chloris gayana</i> *	-
Asteraceae	<i>Cirsium vulgare</i> *	-
Vitaceae	<i>Clematicissus opaca</i>	Least concern
Lamiaceae	<i>Clerodendrum floribundum</i>	Least concern
Rubiaceae	<i>Coelospermum reticulatum</i>	Least concern
Convolvulaceae	<i>Convolvulaceae sp.</i>	Least concern
Myrtaceae	<i>Corymbia citriodora</i>	Least concern
Myrtaceae	<i>Corymbia erythrophloia</i>	Least concern
Myrtaceae	<i>Corymbia intermedia</i>	Least concern
Myrtaceae	<i>Corymbia tessellaris</i>	Least concern
Myrtaceae	<i>Corymbia torelliana</i> *	Least concern
Fabaceae	<i>Crotalaria sp.</i>	-
Apocynaceae	<i>Cryptostegia grandiflora</i> *	-
Cucurbitaceae	<i>Cucurbitaceae sp.</i>	-
Sapindaceae	<i>Cupaniopsis anacardioides</i>	Least concern
Asteraceae	<i>Cyanthillium cinereum</i>	Least concern
Rubiaceae	<i>Cyclophyllum coprosmoides</i>	Least concern
Juncaginaceae	<i>Cyenogeton sp.</i>	-
Orchidaceae	<i>Cymbidium canaliculatum</i>	Least concern
Poaceae	<i>Cymbopogon refractus</i>	Least concern
Poaceae	<i>Cynodon dactylon</i> *	-
Cyperaceae	<i>Cyperus concinnus</i>	Least concern
Cyperaceae	<i>Cyperus difformis</i>	Least concern
Cyperaceae	<i>Cyperus involucratus</i> *	
Cyperaceae	<i>Cyperus gracilis</i>	Least concern
Celastraceae	<i>Denhamia cunninghamii</i>	Least concern
Celastraceae	<i>Denhamia disperma</i>	Least concern

Family	Scientific Name	EPBC Act Status
Hemerocallidaceae	<i>Dianella caerulea</i>	Least concern
Hemerocallidaceae	<i>Dianella longifolia</i>	Least concern
Hemerocallidaceae	<i>Dianella brevipedunculata</i>	Least concern
Poaceae	<i>Dichanthium sericeum</i>	Least concern
Bignoniaceae	<i>Dolichandra unguis-cati*</i>	-
Verbenaceae	<i>Duranta erecta*</i>	-
Poaceae	<i>Echinochloa colona*</i>	-
Poaceae	<i>Eragrostis sp.</i>	-
Asteraceae	<i>Erigeron bonariensis*</i>	-
Leguminosae	<i>Erythrina vespertilio</i>	Least concern
Myrtaceae	<i>Eucalyptus crebra</i>	Least concern
Myrtaceae	<i>Eucalyptus moluccana</i>	Least concern
Myrtaceae	<i>Eucalyptus populnea</i>	Least concern
Myrtaceae	<i>Eucalyptus tereticornis</i>	Least concern
Euphorbiaceae	<i>Euphorbia hirta*</i>	-
Euphorbiaceae	<i>Euphorbia drummondii</i>	Least concern
Laxmanniaceae	<i>Eustrephus latifolius</i>	Least concern
Convolvulaceae	<i>Evolvulus alsinoides</i>	Least concern
Moraceae	<i>Ficus coronata</i>	Least concern
Moraceae	<i>Ficus opposita</i>	Least concern
Moraceae	<i>Ficus rubiginosa</i>	Least concern
Rutaceae	<i>Flindersia australis</i>	Least concern
Leguminosae	<i>Glycine sp.</i>	-
Apocynaceae	<i>Gomphocarpus physocarpus*</i>	-
Apocynaceae	<i>Gomphocarpus sp*</i>	-
Amaranthaceae	<i>Gomphrena celosioides*</i>	-
Sparrmanniaceae	<i>Grewia latifolia</i>	Least concern
Boraginaceae	<i>Heliotropium amplexicaule*</i>	-
Poaceae	<i>Heteropogon contortus</i>	Least concern
Malvaceae	<i>Hibiscus heterophyllus</i>	Least concern
Euphorbiaceae	<i>Homalanthus populifolius</i>	Least concern
Poaceae	<i>Hyparrhenia rufa*</i>	-
Poaceae	<i>Imperata cylindrica</i>	Least concern
Sapindaceae	<i>Jagera pseudorhus</i>	Least concern
Oleaceae	<i>Jasminum didymum</i>	Least concern
Oleaceae	<i>Jasminum simplicifolium</i>	Least concern
Juncaceae	<i>Juncus usitatus</i>	Least concern

Family	Scientific Name	EPBC Act Status
Verbenaceae	<i>Lantana camara</i> *	-
Verbenaceae	<i>Lantana montevidensis</i> *	-
Leguminosae	<i>Leucaena leucocephala</i> *	-
Arecaceae	<i>Livistona australis</i>	Least concern
Campanulaceae	<i>Lobelia concolor</i>	Least concern
Laxmanniaceae	<i>Lomandra longifolia</i>	Least concern
Myrtaceae	<i>Lophostemon suaveolens</i>	Least concern
Onagraceae	<i>Ludwigia octovalvis</i>	Least concern
Leguminosae	<i>Macroptilium lathyroides</i> *	-
Leguminosae	<i>Macroptilium atropurpureum</i> *	-
Chenopodiaceae	<i>Maireana microphylla</i>	Least concern
Euphorbiaceae	<i>Mallotus philippensis</i>	Least concern
Malvaceae	<i>Malvastrum americanum</i> *	-
Poaceae	<i>Megathyrsus maximus</i> *	-
Myrtaceae	<i>Melaleuca bracteata</i>	Least concern
Myrtaceae	<i>Melaleuca nervosa</i>	Least concern
Myrtaceae	<i>Melaleuca sp.</i>	-
Myrtaceae	<i>Melaleuca viminalis</i>	Least concern
Meliaceae	<i>Melia azedarach</i>	Least concern
Poaceae	<i>Melinis repens</i> *	-
Nymphaeaceae	<i>Nymphaea caerulea</i> *	-
Poaceae	<i>Oplismenus aemulus</i>	Least concern
Cactaceae	<i>Opuntia stricta</i> *	-
Cactaceae	<i>Opuntia tomentosa</i> *	-
Oxalidaceae	<i>Oxalis sp.</i> *	-
Poaceae	<i>Panicum effusum</i>	Least concern
Apocynaceae	<i>Parsonsia eucalyptophylla</i>	Least concern
Asteraceae	<i>Parthenium hysterophorus</i> *	-
Poaceae	<i>Paspalum distichum</i> *	-
Passifloraceae	<i>Passiflora suberosa</i> *	-
Picrodendraceae	<i>Petalostigma pubescens</i>	Least concern
Poaceae	<i>Phragmites australis</i>	Least concern
Solanaceae	<i>Physalis sp.</i> *	-
Pittosporaceae	<i>Pittosporum spinescens</i>	Least concern
Lecythidaceae	<i>Planchonia careya</i>	Least concern
Poaceae	<i>Poaceae sp</i>	-
Araliaceae	<i>Polyscias elegans</i>	Least concern

Family	Scientific Name	EPBC Act Status
Rubiaceae	<i>Psydrax odorata</i>	Least concern
Asteraceae	<i>Pterocaulon redolens</i>	Least concern
Rubiaceae	<i>Richardia brasiliensis</i> *	-
Euphorbiaceae	<i>Ricinus communis</i> *	-
Petiveriaceae	<i>Rivina humilis</i> *	-
Acanthaceae	<i>Ruellia simplex</i> *	-
Cyperaceae	<i>Scleria sp.</i>	-
Leguminosae	<i>Senna pendula</i> *	-
Malvaceae	<i>Sida cordifolia</i> *	-
Malvaceae	<i>Sida hackettiana</i>	Least concern
Malvaceae	<i>Sida sp.</i>	-
Malvaceae	<i>Sida rhombifolia</i> *	-
Asteraceae	<i>Sigesbeckia orientalis</i>	Least concern
Solanaceae	<i>Solanum torvum</i> *	-
Solanaceae	<i>Solanum americanum</i> *	-
Solanaceae	<i>Solanum seaforthianum</i> *	-
Asteraceae	<i>Sonchus oleraceus</i> *	-
Poaceae	<i>Sporobolus pyramidalis</i> *	-
Verbenaceae	<i>Stachytarpheta jamaicensis</i> *	-
Leguminosae	<i>Stylosanthes scabra</i> *	-
Asteraceae	<i>Symphyotrichum subulatum</i> *	-
Poaceae	<i>Themeda quadrivalvis</i> *	-
Typhaceae	<i>Typha domingensis</i>	Least concern
Typhaceae	<i>Typha orientalis</i>	Least concern
Leguminosae	<i>Vachellia farnesiana</i> *	-
Verbenaceae	<i>Verbena bonariensis</i> *	-
Viscaceae	<i>Viscum articulatum</i>	Least concern
Asteraceae	<i>Xanthium occidentale</i> *	-

Table 18 Fauna species list

Family	Scientific name	Common name	EPBC Act status
Birds			
Sturnidae	<i>Acridotheres tristis</i>	Common myna	-
Acrocephalidae	<i>Acrocephalus australis</i>	Australian reed-warbler	-
Anatidae	<i>Anas superciliosa</i>	Pacific black duck	-
Anhingidae	<i>Anhinga novaehollandiae</i>	Australasian darter	-
Motacillidae	<i>Anthus novaeseelandiae</i>	Australasian pipit	-
Psittaculidae	<i>Aprosmictus erythropterus</i>	Red-winged parrot	-
Accipitridae	<i>Aquila audax</i>	Wedge-tailed eagle	-
Otididae	<i>Ardeotis australis</i>	Australian bustard	-
Artamidae	<i>Artamus cinereus</i>	Black-faced woodswallow	-
Anatidae	<i>Aythya australis</i>	Hardhead	-
Cacatuidae	<i>Cacatua galerita</i>	Sulphur-crested cockatoo	-
Cuculidae	<i>Cacomantis pallidus</i>	Pallid cuckoo	-
Caprimulgidae	<i>Caprimulgus macrurus</i>	Large-tailed nightjar	-
Cuculidae	<i>Centropus phasianinus</i>	Pheasant coucal	-
Anatidae	<i>Chenonetta jubata</i>	Australian wood duck	-
Cuculidae	<i>Chrysococcyx lucidus</i>	Shining bronze cuckoo	-
Cisticolidae	<i>Cisticola exilis</i>	Golden-headed cisticola	-
Pachycephalidae	<i>Colluricincla harmonica</i>	Grey shrike-thrush	-
Campephagidae	<i>Coracina novaehollandiae</i>	Black-faced cuckoo-shrike	-
Corvidae	<i>Corvus orru</i>	Torresian crow	-
Artamidae	<i>Cracticus nigrogularis</i>	Pied butcherbird	-
Anatidae	<i>Cygnus atratus</i>	Black swan	-
Alcedinidae	<i>Dacelo novaeguineae</i>	Laughing kookaburra	-
Neosittidae	<i>Daphoenositta chrysoptera</i>	Varied sittella	-
Dicaeidae	<i>Dicaeum hirundinaceum</i>	Mistletoebird	-
Dicruridae	<i>Dicrurus bracteatus</i>	Spangled drongo	-
Casuariidae	<i>Dromaius novaehollandiae</i>	Emu	-
Ardeidae	<i>Egretta novaehollandiae</i>	White-faced heron	-
Meliphagidae	<i>Entomyzon cyanotis</i>	Blue-faced honeyeater	-
Cuculidae	<i>Eudynamys orientalis</i>	Eastern koel	-
Coraciidae	<i>Eurystomus orientalis</i>	Dollarbird	-
Falconidae	<i>Falco berigora</i>	Brown falcon	-
Falconidae	<i>Falco cenchroides</i>	Nankeen kestrel	-
Rallidae	<i>Fulica atra</i>	Eurasian coot	-
Rallidae	<i>Gallinula tenebrosa</i>	Dusky moorhen	-
Columbidae	<i>Geopelia humeralis</i>	Bar-shouldered dove	-
Columbidae	<i>Geopelia placida</i>	Peaceful dove	-
Columbidae	<i>Geophaps scripta scripta</i>	Squatter pigeon (southern subspecies)	Vulnerable
Monarchidae	<i>Grallina cyanoleuca</i>	Magpie-lark	-
Artamidae	<i>Gymnorhina tibicen</i>	Australian magpie	-
Accipitridae	<i>Haliastur sphenurus</i>	Whistling kite	-
Hirundinidae	<i>Hirundo neoxena</i>	Welcome swallow	-

Family	Scientific name	Common name	EPBC Act status
Campephagidae	<i>Lalage leucomela</i>	Varied triller	-
Meliphagidae	<i>Lichmera indistincta</i>	Brown honeyeater	-
Estrildidae	<i>Lonchura castaneothorax</i>	Chestnut-breasted mannikin	-
Maluridae	<i>Malurus melanocephalus</i>	Red-backed fairy-wren	-
Meliphagidae	<i>Manorina melanocephala</i>	Noisy miner	-
Meliphagidae	<i>Meliphaga lewinii</i>	Lewin's honeyeater	-
Meliphagidae	<i>Melithreptus albogularis</i>	White-throated honeyeater	-
Meropidae	<i>Merops ornatus</i>	Rainbow bee-eater	-
Phalacrocoracidae	<i>Microcarbo melanoleucos</i>	Little pied cormorant	-
Accipitridae	<i>Milvus migrans</i>	Black kite	-
Monarchidae	<i>Myiagra rubecula</i>	Leaden flycatcher	-
Anatidae	<i>Nettapus coromandelianus</i>	Cotton pygmy-goose	-
Strigidae	<i>Ninox boobook</i>	Southern boobook	-
Pachycephalidae	<i>Pachycephala rufiventris</i>	Rufous whistler	-
Pardalotidae	<i>Pardalotus striatus</i>	Striated pardalote	-
Hirundinidae	<i>Petrochelidon nigricans</i>	Tree martin	-
Phalacrocoracidae	<i>Phalacrocorax sulcirostris</i>	Little black cormorant	-
Meliphagidae	<i>Philemon citreogularis</i>	Little friarbird	-
Meliphagidae	<i>Philemon corniculatus</i>	Noisy friarbird	-
Psittaculidae	<i>Platycercus adscitus</i>	Pale-headed rosella	-
Rhipiduridae	<i>Rhipidura albiscapa</i>	Grey fantail	-
Rhipiduridae	<i>Rhipidura leucophrys</i>	Willie wagtail	-
Cuculidae	<i>Scythrops novaehollandiae</i>	Channel-billed cuckoo	-
Oriolidae	<i>Sphecotheres vieilloti</i>	Australasian figbird	-
Podicipedidae	<i>Tachybaptus novaehollandiae</i>	Australasian grebe	-
Estrildidae	<i>Taeniopygia bichenovii</i>	Double-barred finch	-
Alcedinidae	<i>Todiramphus macleayi</i>	Forest kingfisher	-
Psittaculidae	<i>Trichoglossus chlorolepidotus</i>	Scaly-breasted lorikeet	-
Psittaculidae	<i>Trichoglossus haematodus</i>	Coconut lorikeet	-
Charadriidae	<i>Vanellus miles</i>	Masked lapwing	-
Mammals			
Canidae	<i>Canis lupus familiaris</i> *	Domestic dog	-
Molossidae	<i>Chaerephon jobensis</i>	Northern freetail bat	-
Vespertilionidae	<i>Chalinolobus gouldii</i>	Gould's wattled bat	-
Vespertilionidae	<i>Chalinolobus morio</i>	Chocolate wattled bat	-
Vespertilionidae	<i>Chalinolobus nigrogriseus</i>	Hoary wattled bat	-
Muridae	<i>Hydromys chrysogaster</i>	Water rat	-
Leporidae	<i>Lepus europaeus</i> *	European brown hare	-
Macropodidae	<i>Macropus giganteus</i>	Eastern grey kangaroo	-
Miniopteridae	<i>Miniopterus australis</i>	Little bent-wing bat	-
Miniopteridae	<i>Miniopterus orianae oceanensis</i>	Australasian bent-wing bat	-

Family	Scientific name	Common name	EPBC Act status
Vespertilionidae	<i>Myotis macropus</i>	Large-footed myotis	-
Molossidae	<i>Ozimops lumsdenae</i>	Northern free-tailed bat	-
Molossidae	<i>Ozimops ridei</i>	Eastern free-tailed bat	-
Petauridae	<i>Petaurus norfolcensis</i>	Squirrel glider	-
Phascolarctidae	<i>Phascolarctos cinereus</i>	Koala (scratches on trees observed, but no individuals found)	Endangered
Cervidae	<i>Rusa sp*</i>	Deer	-
Emballonuridae	<i>Saccolaimus flaviventris</i>	Yellow-bellied sheath-tail bat	-
Vespertilionidae	<i>Scotorepens greyii</i>	Little broad-nosed bat	-
Vespertilionidae	<i>Scotorepens sanborni</i>	Northern broad-nosed bat	-
Suidae	<i>Sus scrofa*</i>	Wild boar	-
Vespertilionidae	<i>Vespadelus troughtoni</i>	Eastern cave bat	-
Canidae	<i>Vulpes vulpes*</i>	Red fox	-
Macropodidae	<i>Wallabia bicolor</i>	Swamp wallaby	-
Reptiles			
Colubridae	<i>Boiga irregularis</i>	Brown tree snake	-
Gekkonidae	<i>Hemidactylus frenatus*</i>	Asian house gecko	-
Colubridae	<i>Tropidonophis mairii</i>	Freshwater snake	-
Amphibians			
Hylidae	<i>Litoria caerulea</i>	Common green treefrog	-
Hylidae	<i>Litoria fallax</i>	Eastern sedge frog	-
Hylidae	<i>Litoria latopalmata</i>	Broad palmed rocket frog	-
Leptodactylidae	<i>Pseudophryne major</i>	Major toadlet	-
Bufonidae	<i>Rhinella marina*</i>	Cane toad	-

Appendix J

Field verified regional ecosystem mapping



Figure 3h - Ground Truthed Regional Ecosystems

Legend

 Project Area	Ground-truthed regional ecosystems	 11.3.26 - Regrowth
 Study Area	 11.11.15 - Regrowth	 11.3.26 - Remnant
 Roads	 11.11.15 - Remnant	 11.3.4 - Remnant
 Cadastre	 11.11.4c - Regrowth	 Non-Remnant
 Biogeographic subregion	 11.11.4c - Remnant	 Water



**GLADSTONE AREA WATER BOARD
EAST END PIPELINE REPLACEMENT PROJECT**

© AECOM Australia Pty Ltd (AECOM). All rights reserved.
AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.
Department of Resources, DESI, Earl, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Earthstar Geographics, Esri, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia




Figure 3i - Ground Truthed Regional Ecosystems

Legend

 	Project Area		Ground-truthed regional ecosystems		11.11.4c - Remnant
 	Study Area		11.11.15 - Regrowth		11.3.26 - Regrowth
	Roads		11.11.15 - Remnant		11.3.4 - Remnant
	Cadastre		11.11.4a - Regrowth		Non-Remnant
 	Biogeographic subregion		11.11.4a - Remnant		Water



**GLADSTONE AREA WATER BOARD
EAST END PIPELINE REPLACEMENT PROJECT**

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Earl, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Earthstar Geographics, Esri, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia



Figure 3j - Ground Truthed Regional Ecosystems

Legend

 Project Area	Ground-truthed regional ecosystems	 11.3.4 - Remnant
 Study Area	 11.11.4 - Regrowth	 Non-Remnant
 Roads	 11.11.4a - Regrowth	 Water
 Cadastre	 11.11.4a - Remnant	
 Biogeographic subregion	 11.3.25 - Remnant	



GLADSTONE AREA WATER BOARD EAST END PIPELINE REPLACEMENT PROJECT

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Earl, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Earthstar Geographics, Earl, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia




Figure 3k - Ground Truthed Regional Ecosystems

Legend

 Project Area	Ground-truthed regional ecosystems		 12.11.14 - Remnant
 Study Area	 11.11.4 - Regrowth	 12.3.3 - Remnant	
 Roads	 11.3.25 - Remnant	 12.3.3a - Remnant	
 Cadastre	 11.3.4 - Regrowth	 12.3.7 - Remnant	
 Biogeographic subregion	 11.3.4 - Remnant	 Non-Remnant	



**GLADSTONE AREA WATER BOARD
EAST END PIPELINE REPLACEMENT PROJECT**

© AECOM Australia Pty Ltd (AECOM). All rights reserved.
AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.
Department of Resources, DESI, Earl, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Earthstar Geographics, Esri, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia



Figure 3I - Ground Truthed Regional Ecosystems

Legend

 Project Area	 Biogeographic subregion	 12.3.3a - Remnant
 Study Area	Ground-truthed regional ecosystems	 12.3.7 - Remnant
 Roads	 12.11.14 - Remnant	 Non-Remnant
 Cadastre	 12.3.3 - Remnant	



**GLADSTONE AREA WATER BOARD
EAST END PIPELINE REPLACEMENT PROJECT**

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Earl, TomTom, Garmin, Foursquare, FAO, METINASA, USGS, Earthstar Geographics, Esri, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia



Figure 3m - Ground Truthed Regional Ecosystems

Legend

 	Project Area	 	Biogeographic subregion		12.3.7 - Remnant
 	Study Area	Ground-truthed regional ecosystems			Non-Remnant
	Roads		12.11.14 - Remnant		Water
	Cadastre		12.3.3 - Remnant		



GLADSTONE AREA WATER BOARD EAST END PIPELINE REPLACEMENT PROJECT

© AECOM Australia Pty Ltd (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles.

Department of Resources, DESI, Earl, TomTom, Garmin, FourSquare, FAO, METINASA, USGS, Earthstar Geographics, Esri, USGS © The State of Queensland; © Commonwealth of Australia. Based on ABS data, Bureau of Meteorology, © CSIRO Australia