Economic Development Queensland



Proposed

Bowen HillsPriority Development Area

Development Scheme - Amendment no.2



The Department of State Development, Manufacturing, Infrastructure and Planning is responsible for driving the economic development program for Queensland by creating a diverse and thriving economy, and generating new jobs.

Copyright

This publication is protected by the Copyright Act 1968.

Licence



This work, except as identified below, is licensed by the Department of State Development, Manufacturing, Infrastructure and Planning under a Creative Commons Attribution (CC BY) 4.0 Australia licence. To view a copy of this licence, visit: http://creativecommons.org.au/ You are free to copy, communicate and adapt this publication, as long as you attribute it as follows:

© State of Queensland, The Department of State Development, Manufacturing, Infrastructure and Planning, October 2018.

Third party material that is not licensed under a Creative Commons licence is referenced within this document. All content not licensed under a Creative Commons licence is all rights reserved. Please contact the Department of State Development, Manufacturing, Infrastructure and Planning /the copyright owner if you wish to use this material.



The Queensland Government is committed to providing accessible services to Queenslanders of all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to contact the Queensland Department of State Development, Manufacturing, Infrastructure and Planning on 07 3452 7100

Disclaimer

While every care has been taken in preparing this publication, to the extent permitted by law, the State of Queensland accepts no responsibility and disclaims all liability (including without limitation, liability in negligence) for all expenses, losses (including direct and indirect loss), damages and costs incurred as a result of decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

Any references to legislation are not an interpretation of the law. They are to be used as a guide only. The information in this publication is general and does not take into account individual circumstances or situations. Where appropriate, independent legal advice should be sought.

Copies of this publication are available on our website at www.dsdmip.qld.gov.au and further copies are available upon request to:

Economic Development Queensland

Department of State Development, Manufacturing, Infrastructure and Planning GPO Box 2202, Brisbane Queensland 4002.

1 William Street Brisbane Qld 4000 (Australia)

Phone: 13 QGOV (13 7468)

Email: edq@dsdmip.qld.gov.au

Web: www.edq.qld.gov.au

Contents

| 1 | Intro | oduction | 4 |
|---|-------|--|----|
| | 1.1 | Economic Development Act | 4 |
| | 1.2 | Priority Development Area | 4 |
| | 1.3 | Application of the development scheme | 4 |
| | 1.4 | Components of the development scheme | 4 |
| 2 | Lan | d use plan | 6 |
| | 2.1 | Elements of the of the Land use plan | 6 |
| | | 2.1.1 Vision | 6 |
| | | 2.1.2 PDA development requirements | 7 |
| | | 2.1.3 Schedules | / |
| | | 2.1.4 Guidance material | 7 |
| | 2.2 | Development assessment | 7 |
| | | 2.2.1 Interpretation | 7 |
| | | 2.2.2 Types of development | 7 |
| | | 2.2.3 Development consistent with the Land use plan | 8 |
| | | 2.2.4 Development inconsistent with the Land use plan | 8 |
| | | 2.2.5 Notice of applications | 8 |
| | | 2.2.6 State interests | |
| | | 2.2.7 Relationship with other legislation | 8 |
| | | 2.2.8 Relationship with local government planning scheme | 9 |
| | | 2.2.9 Interim use | 9 |
| | | 2.2.10 Value uplift charges | 9 |
| | 2.3 | Vision | 9 |
| | | 2.3.1 Land uses | 9 |
| | | 2.3.2 Transport and connectivity | 10 |
| | | 2.3.3 Urban design and public realm | 10 |
| | 2.4 | Structural elements | 11 |
| | 2.5 | PDA-wide criteria | 13 |
| | | 2.5.1 Urban design and public realm | 13 |
| | | 2.5.2 Connectivity | 14 |
| | | 2.5.3 Housing diversity | 14 |
| | | 2.5.4 Sustainable developments | 15 |
| | | 2.5.5 Infrastructure planning and delivery | 16 |
| | | 2.5.6 Heritage places | 16 |
| | | 2.5.7 Environment | 17 |
| | | 2.5.8 Flood | 18 |

| | | 2.5.9 Managing the impacts of infrastructure | 18 |
|---|-------|---|----|
| | 2.6 | Zone provisions | 23 |
| | | 2.6.1 Medium density residential zone | 25 |
| | | 2.6.2 High density residential zone | 27 |
| | | 2.6.3 Mixed use zone | 30 |
| | | 2.6.4 Industrial zone | 38 |
| | | 2.6.5 Mixed industry and business zone | 40 |
| | | 2.6.6 Sport and recreation zone | 43 |
| | | 2.6.7 Open space zone | 45 |
| | | 2.6.8 Special purpose (transport) zone | 45 |
| | | 2.6.9 Specialised centre (entertainment) zone | 46 |
| | | 2.6.10 Levels of assessment for zones | 48 |
| | 2.7 | Precinct provisions | 50 |
| | | 2.7.1 Precinct 1 | |
| | | 2.7.2 Precinct 2 | 55 |
| 3 | Infra | astructure plan | 58 |
| | 3.1 | estructure planPurpose | 58 |
| | 3.2 | Infrastructure networks | 58 |
| | 3.3 | Infrastructure categories | |
| | | 3.3.1 Trunk infrastructure | |
| | | 3.3.2 Non-trunk infrastructure | 58 |
| | | 3.3.3 Other infrastructure | 58 |
| | 3.4 | Infrastructure charges, funding and conditions | 61 |
| | 3.5 | Infrastructure agreements | 61 |
| | 3.6 | Infrastructure standards | 61 |
| 4 | Imp | lementation strategy | 62 |
| | 4.1 | Urban design and public realm | 62 |
| | 4.2 | Connectivity | 62 |
| | 4.3 | Housing diversity | 63 |
| | 4.4 | Sustainability | 64 |
| | 4.5 | Infrastructure planning and delivery | 64 |
| | 4.6 | Conservation and adaptive re-use of heritage buildings and places | 65 |
| 5 | Sch | edules | 66 |
| | Sch | edule 1: Definitions | 66 |
| | Sch | edule 2: PDA exempt development | 68 |
| | | edule 3: Transport, access, parking and servicing | |
| | | edule 4: Heritage places | |
| | | edule 5: Amendments | 72 |

List of maps

| Map 1: PDA boundary | 5 |
|---|----|
| Map 2: Structure plan | |
| Map 3: Heritage places | |
| Map 4: Sub-surface transport infrastructure | |
| Map 5: Point source pollutants | |
| Map 6: Zone plan | |
| Map 7: Precinct boundaries | |
| Map 8: Precinct 1 plan | |
| Map 9: Precinct 2 plan | |
| List of Tables | |
| Table 1: Land use plan components and relationships | 6 |
| Table 2: Levels of assessment | 48 |
| Table 2: Levels of assessment | 59 |
| List of Figures | |
| Figure 1: Built form provisions – Medium density residential zone | 25 |
| Figure 2: Built form provisions – High density residential zone | 27 |
| Figure 3: Built height and envelope provisions – Mixed use zone | |
| Figure 4: Options for the placement of communal open space and facilities | 32 |
| Figure 5: Building form, scale, bulk and articulation | 33 |
| Figure 6: Ground level treatment for non-residential uses | |
| Figure 7: Ground level treatment for residential uses | |
| Figure 8: Podium treatment for non-residential uses | |
| Figure 9: Podium treatment for residential uses | |
| Figure 10: Built form provisions - Industrial zone | |
| Figure 11: Built form provisions – Mixed industry and business zone | 40 |

1 Introduction

1.1 Economic Development Act

The *Economic Development Act 2012* (the Act)¹ establishes the Minister for Economic Development Queensland (MEDQ) as a corporation sole to exercise the functions and powers of the Act.

The main purpose of the Act² is to facilitate economic development, and development for community purposes, in the state. The Act³ seeks to achieve this by establishing the MEDQ and providing for a streamlined planning and development framework for particular parts of the state declared as priority development areas (PDAs).

1.2 Priority Development Area

The Bowen Hills PDA (PDA) was declared by regulation⁴ on 28 March 2008.

The PDA is approximately 108 hectares bound by Bowen Bridge Road and Enoggera Creek to the west, the Mayne Rail Yards and Breakfast Creek to the north, Water Street and St Pauls Terrace to the south and Breakfast Creek, Cintra Road and Markwell Street to the east. The boundaries of the PDA are shown on map 1.

1.3 Application of the development scheme

The Bowen Hills PDA Development Scheme (the development scheme) is applicable to all development on land and water⁵ within the boundaries of the PDA.

The development scheme became effective on 3 July 2009 and was first amended on 1 April 2010.

From the date of approval, this second amendment of the development scheme takes effect.

1.4 Components of the development scheme

The development scheme consists of:

- i. the Land use plan that regulates development in the PDA
- ii. the Infrastructure plan that describes infrastructure required to support achievement of the Land use plan and states applicable infrastructure charges, and
- iii. the Implementation strategy that describes actions that complement the Land use plan and Infrastructure plan to achieve the main purpose of the Act.

¹ See section 8 of the Act.

² See section 3 of the Act.

³ See section 4 of the Act.

⁴ See section 37 of the Act.

⁵ See section 47A of the *Act Interpretation Act 1954*.



2 Land use plan

2.1 Elements of the of the Land use plan

The Land use plan establishes the Vision for the PDA and the PDA development requirements that regulate development to achieve the Vision (refer to Table 1).

Table 1: Land use plan components and relationships

Vision

PDA development requirements

Structural elements

PDA-wide criteria

Urban design and public realm

Connectivity

Housing diversity

Sustainable developments

Infrastructure planning and delivery

Heritage places

Environment

Flood

Managing the impacts of infrastructure

Zone provisions

Medium density residential zone

High density residential zone

Mixed use zone

Industrial zone

Mixed industry and business zone

Sport and recreation zone

Open space zone

Special purpose (transport) zone

Specialised centre (entertainment) zone

Levels of assessment

Precinct provisions

Precinct 1
Precinct 2



Components referenced by Vision and PDA development requirements

Schedules

Schedule 1: Definitions

Schedule 2: PDA exempt development

Schedule 3: Transport, access, parking and servicing

Schedule 4: Heritage places

Schedule 5: Amendments

Guidance material⁶

2.1.1 Vision

The Vision identifies the overall outcomes to be achieved in the PDA, that:

- i. seek to achieve the purpose of the Act for the PDA, and
- ii. provide the basis for the PDA development requirements.

2.1.2 PDA development requirements

The PDA development requirements apply to all PDA assessable development and include:

- i. structural elements
- ii. PDA-wide criteria
- iii. zone provisions, and
- iv. precinct provisions.

2.1.3 Schedules

Schedule 1: Definitions – provides the use and administrative definitions required to interpret and apply the development scheme.

Schedule 2: PDA exempt development – identifies development that is exempt from assessment for the whole of the PDA.

Schedule 3: Transport, access, parking and servicing – establishes the transport, access, parking and servicing requirements applicable to all development within the PDA.

Schedule 4: Heritage places – catalogues all heritage places presently listed on the Queensland Heritage Register and Brisbane City Council Heritage Register within the Bowen Hills PDA.

Schedule 5: Amendments – lists out the amendments that have occurred to the development scheme since it came into effect.

2.1.4 Guidance material

Guidance material includes Economic Development Queensland (EDQ) guidelines and any other documents or guidelines referenced in the development scheme⁶.

2.2 Development assessment

2.2.1 Interpretation

The interpretation of terms and definitions will rely on:

- Section 33 of the Act which defines 'development', and
- ii. Schedule 1 of this development scheme which provides the definitions required to interpret and apply the development scheme with reference to the Act and the Brisbane City Council Planning Scheme 2014 (Brisbane City Plan).

2.2.2 Types of development

PDA exempt development: Table 2 identifies PDA exempt development, and includes schedule 2.

PDA self-assessable development⁷: Column 1 in Table 2 identifies PDA self-assessable development.

PDA assessable development8:

- i. Column 2A in table 2 identifies PDA assessable development that is permissible development.
- ii. Column 2B in table 2 identifies PDA assessable development that is prohibited development.

⁶ Refer to State government guidelines available at www.dilgp.qld.gov.au. Guidelines should be read in conjunction with the Land use plan, Infrastructure plan and Implementation strategy and any other document or guideline called up by the development scheme.

⁷ Under section 74 of the ED Act, PDA self-assessable development must comply with the requirements in this scheme for carrying out PDA self-assessable development. Column 1 in Table 2 defines the requirements for self-assessable development.

Under section 73 of the ED Act, PDA assessable development cannot be carried out without a PDA development permit.

2.2.3 Development consistent with the Land use plan

PDA assessable development is consistent with the Land use plan if it complies with relevant provisions of the PDA development requirements.

However, development that does not comply with the relevant provisions of the PDA development requirements is consistent with the Land use plan if:

- i. the development does not conflict with the vision, and
- ii. there are sufficient grounds to justify the approval of the development despite the non-compliance with the relevant PDA development requirements.

In this section 'grounds' means matters of public interest, which include the matters specified as the main purposes of the Act as well as:

- superior design outcomes⁹, and
- ii. overwhelming community need.

'Grounds' does not include the personal circumstances of an applicant, owner or interested third party.

2.2.4 Development inconsistent with the Land use plan

Despite section 2.2.3 development in the Medium density residential zone or High density residential zone that does not comply with the maximum building height for the relevant zone is inconsistent with the development scheme.

PDA assessable development identified in column 2B of Table 2 as prohibited development is inconsistent with the development scheme.

Development that is inconsistent with the development scheme cannot be granted a PDA development approval ¹⁰.

2.2.5 Notice of applications

A PDA development application will require public notification if, in the opinion of the MEDQ, the development:

- may have adverse impacts on the amenity or development potential of adjoining land under separate ownership, or
- ii. is for a use or of a size or nature which warrants public notification, or
- iii. compromises the implementation of the development scheme.

2.2.6 State interests

Relevant matters of state interest have been considered in the preparation of this development scheme and will be considered further as part of the assessment of a PDA development application¹¹.

2.2.7 Relationship with other legislation

In addition to assessment against the development scheme, development may require assessment against other legislation including, but not limited to, the *Nature Conservation Act* 1992, *Environmental Protection*

_

⁹ An urban design review panel will provide guidance on the assessment and acceptance of superior design outcomes. Refer to Implementation strategy.

¹⁰ See section 86 of the Act.

¹¹ Section 87 of the Act states that any relevant state interest must be considered in deciding a development application. For the purposes of addressing state interests in development assessment, the State Planning Policy (SPP) and State Development Assessment Provisions (SDAP), provide guidance in identifying if a state interest is relevant to the assessment of a PDA development application. For further advice on the consideration of state interests refer to the EDQ Practice note 14: State interests in development assessment in priority development areas, available at www.edq.qld.gov.au/priority-development-areas-guidelines-and-practice-notes.html

Act 1994, Plumbing and Drainage Act 2002, Building Act 1975 and the Planning Act 2016 including subordinate legislation¹².

2.2.8 Relationship with local government planning scheme

The development scheme prevails to the extent of any inconsistency or conflict with a planning instrument or assessment benchmarks prescribed by regulation under the *Planning Act 2016* or another Act for the Planning Act¹³. However, where the development scheme applies provisions of the Brisbane City Plan this is not a conflict and is not inconsistent with the development scheme.

The Brisbane City Plan, where identified in the development scheme, will be used when assessing PDA development applications and applying the development scheme requirements.

2.2.9 Interim use

An interim use is appropriate if it can be demonstrated that it will not preclude or delay an appropriate long term use or intensity of development or infrastructure delivery envisaged by the vision. MEDQ may impose a condition of approval that limits the duration of an interim use.

Information to support an application for an interim use may include:

- i. a suitability assessment, and
- ii. plans showing how the development could transition from the proposed interim use to an appropriate long term use.

2.2.10 Value uplift charges

A PDA development approval will include conditions to pay value uplift charges where the approved development provides for a plot ratio yield that exceeds the plot ratio yield which was proposed for the property under the superseded Brisbane City Plan 2000 and prior to the declaration of the PDA.

Value uplift charges apply only to gross floor area (GFA) that represents the proportion of the approved plot ratio that exceeds the yield potential established under the superseded Brisbane City Plan 2000.

2.3 Vision

2.3.1 Land uses

The Bowen Hills PDA is a vibrant urban area which has preserved its heritage places and accommodates a diverse, integrated and balanced range of uses that are connected by a high quality public realm. This range of uses and the intensity of development contribute to the activation of places and streets at different times of the day and throughout the week.

The greatest diversity of uses and intensity of development is located in the Mixed-use zone around high frequency public transport stations. These mixed-use areas play an important role in Brisbane's future growth and development by accommodating a sub-regionally significant concentration of housing and employment opportunities which supports vibrant all day activity and economy.

Retail high streets are located along King Street and on Mayne Road and Hudd Street leading to the Bowen Hills Railway Station. Development in these activity nodes provide local residents with services, facilities and opportunities for enterprise and employment. The activity nodes function all day and provide a diversity of retail, commercial, community and entertainment uses, and feature inviting public realm with access to quality pedestrian, cyclist and parking facilities.

The Bowen Hills PDA is an important events district with the Old Queensland Museum, Brisbane Showgrounds and other venues hosting cultural, entertainment, recreation and special events. The

¹² For further advice on w hat other legislation may apply refer to Appendices 1 and 2 of the EDQ Practice note 14: State interests in development assessment in priority development areas, available at www.edq.qld.gov.au/priority-development-areas-guidelines-and-practice-notes.html

¹³ Section 71 of the *Economic Development Act 2012* refers to a plan, policy or code made under the *Sustainable Planning Act 2009* or another Act rather than assessment benchmarks prescribed by regulation. Section 71 will be amended to refer to assessment benchmarks on commencement of the *Planning Act 2016*.

Brisbane Showgrounds operates as a major events venue year round and is a focal point for the surrounding community. The Brisbane Showgrounds provide pedestrian access between O'Connell Terrace and Gregory Terrace and public open spaces that are freely accessible outside of event times.

A range of housing options are available within the Bowen Hills PDA delivering choice, adaptability and diversity through a mix of densities, types, designs, tenures and levels of affordability that cater to a range of lifestyles, incomes and lifecycle needs. High-rise apartment buildings characterise mixed-use areas, mid-rise apartments up to 8 storeys characterise the High density residential zone east of Abbotsford Road, while houses, townhouses and low-rise apartments up to 4 storeys characterise Cintra Road. Residential and accommodation uses are also located adjacent to Perry Park providing residential amenity and passive surveillance of the public realm.

A mixed business and industry area is established north of Perry Park and south of Allison Street. This area accommodates a mix of building forms with business frontages activating streets. North of Allison street, strategically significant industrial land accommodates a range of industrial and commercial services to inner city residents and businesses.

2.3.2 Transport and connectivity

The Bowen Hills PDA is well connected, accessible and permeable to a full range of pedestrian, cyclist, public transport and private vehicle movements.

A network of walkways and designated on-street cycle lanes supports the movement of people throughout the PDA. Pedestrian connectivity radiates from public transport stations ensuring movement to surrounding areas is direct and efficient.

Public transport in the Bowen Hills PDA is highly accessible and offers regular bus and rail services. Delivery of the Cross River Rail project including upgrades to Exhibition Railway Station and increased service frequency will further enhance public transport accessibility within the Bowen Hills PDA. Development maximises public transport infrastructure investment by focusing land uses that generate high pedestrian traffic near public transport stations. Development integrates with public transport stations by delivering a high-quality pedestrian experience in proximity to the station and ensuring pedestrian access points and connections to the station from the road and public realm are well-defined and legible.

Streets are designed to cater for anticipated vehicle, cyclist and pedestrian movements as well as streetscaping and car parking requirements. Intersections are designed to facilitate safe movement of vehicles, cyclists and pedestrians. Where required new streets or upgrades will be delivered to improve connectivity and permeability within the PDA.

2.3.3 Urban design and public realm

Public open spaces and areas with high quality public realm provide for community recreation and a visual break from the built landscape in Bowen Hills. Bowen Park and Perry Park are the most significant recreational spaces in Bowen Hills with a network of new and upgraded smaller parks located amongst development and within the Brisbane Showgrounds providing diverse, multi-purpose outdoor landscapes and community spaces.

The relationship between public spaces, streets and buildings in the PDA creates an urban environment that is human-scale, attractive, safe and activated. Development addresses street frontages and public spaces, creating an interface that is integrated and activated with human movement and passive surveillance.

Open spaces, streetscapes and other public realms are designed to cater for universal access and improved with quality landscape and features that create an inviting place with a strong urban identity. Streetscaping along key pedestrian and cycling linkages contributes to the visual appeal of the public realm and reinforces connections between key destinations in the PDA. These public spaces provide safe and secure access throughout the PDA and connect the surrounding urban areas.


Buildings within the PDA are designed and developed in consideration of the principles of sub-tropical urban design which ensures that neighbouring properties, open spaces and the public realm receive optimal levels of solar access, and buildings achieve a high standard of environmental performance and responsiveness. Building occupants are provided with high quality living environments designed to achieve best practice levels of natural light, thermal comfort, privacy, amenity and cross ventilation.

2.4 Structural elements

The Structural elements identified in map 2 - Structure plan are a spatially indicative depiction of the highest order physical elements described in the vision statement.

The structural elements support the delivery of the vision and PDA-wide criteria and should be read in conjunction with these sections.

To the extent that the structural elements are relevant, they are to be taken into account in the preparation of PDA development applications and the assessment of those applications.



2.5 PDA-wide criteria

2.5.1 Urban design and public realm

2.5.1.1 Urban design

Development ensures the form, type and arrangement of buildings, streets and the public realm are designed to collectively contribute to the creation of a sense of place by:

- i. catering for the diverse needs of all community members, including children, elderly and people with disabilities, by applying principles of universal, adaptable and inclusive design
- ii. creating an attractive and functional relationship between buildings, private spaces and the public realm
- iii. providing a ground plane that is connected, legible, permeable, inclusive and safe
- iv. contributing positively to conditions of the urban environment and the visual experience of a place
- v. allowing for innovative and temporary use of public realm
- vi. applying Crime Prevention through Environmental Design (CPTED) principles 14, and
- vii. promoting identity and distinctive character, by working with the landscape, heritage and cultural features to create places with a strong relationship to their context.

2.5.1.2 Sub-tropical design¹⁵

Development ensures the form, type and arrangement of buildings, streets and the public realm are designed to positively respond to the local climate and improve the urban amenity of Bowen Hills by:

- i. applying design strategies that maximise natural light and air flow in the public realm and private spaces to reduce energy demand for artificial lighting and mechanical temperature control
- ii. applying design strategies to reduce the extremes of temperature and direct solar heating in buildings, streets and public spaces
- iii. orientating buildings to optimise seasonal solar gain and loss, and
- iv. using appropriate landscape, vegetation and large trees to provide shade and shelter for pedestrians and cyclists.

2.5.1.3 Building form

Development delivers high-quality built form outcomes by:

- creating human-scale relationships between buildings, streets and the public realm
- ii. using setbacks and landscape to integrate with, complement and articulate streetscapes
- iii. using the ground floor of buildings to define the adjacent street or space, deliver a sense of safety, community ownership and promote activation
- iv. for mid-rise and high-rise buildings, providing tower separations to deliver access to light, promote air circulation, minimise overshadowing and maximise amenity and privacy for both occupants and neighbours, and
- v. responding to the cultural heritage significance of heritage places.

¹⁴ Refer to Crime Prevention through Environmental Design, Guidelines (Queensland Government, 2007).

¹⁵ Refer to the guidance provided in Brisbane City Council's New World City Design Guide: Buildings that Breathe.

2.5.1.4 Streets and public realm

Development delivers high-quality streets and public realm spaces that are:

- i. attractive spaces embellished with landscape and street furniture to encourage social interaction, healthy active lifestyle¹⁶ and community-based activity
- ii. human-scale spaces that are designed to contribute positively to the environmental and visual experience of Bowen Hills, and
- iii. universally designed and provide legible, permeable and safe movement for all members of the community.

2.5.2 Connectivity

Development:

- i. delivers a high quality street and movement network and related infrastructure which enhances connectivity for pedestrians, cyclists and vehicles
- ii. provides car parking, access and servicing facilities to meet the necessary functional requirements of development as detailed in schedule 3
- iii. ensures universal design principles are applied to access, safety, transport and connectivity within the PDA to ensure that the needs of pedestrians, cyclists and motorists are met
- iv. ensures the layout of streets and the public realm prioritise pedestrian and cycle movements and the use of public transport over private vehicles by:
 - a. creating attractive, direct, permeable, legible and connected network of streets, pedestrian and cycle paths and safe crossings points
 - b. giving high priority to equitable pedestrian connectivity, directness of route and facilities for all members of the community
 - c. providing convenient through-site connections and cross-block links for pedestrians and cyclists, offering a choice of routes throughout the PDA
 - d. connecting directly to existing footpaths, cycleways, streets and public transport in surrounding areas, and
 - e. managing potential conflicts between pedestrians, cyclists and other users through appropriate and safe design.

2.5.3 Housing diversity

Development for residential uses (including residential components of a mixed-use development) provides:

- diverse housing choice to suit a variety of households by offering universal design¹⁷ and variety in dwelling size, configuration and adaptability
- ii. a minimum of 10 per cent of total residential GFA as dwellings with 3 or more bedrooms
- iii. a minimum of 5 per cent of total residential GFA as either or a mix of public housing, social housing or affordable housing, and
- iv. dwellings that are for public housing, social housing and affordable housing are integrated and distributed throughout residential and mixed-use developments and present high-quality design outcomes to avoid identifying them or setting them apart in the community.

¹⁷ EDQ Guideline no.2 outlines standards for planning and design of accessible housing in PDAs.

¹⁶ Refer to Healthy by design Guidelines (National Heart Foundation, Victoria, 2004).

2.5.4 Sustainable developments

2.5.4.1 Sustainable buildings

Development provides the design, construction and operation of sustainable buildings by achieving:

- 5 star Green Star: Design and as Built (or equivalent rating system) for residential development or the residential components of a mixed-use development
- ii. 6 star Green Star: Design and as Built (or equivalent rating system) for non-residential development.

2.5.4.2 Self sufficiency

Development enables communities to be more resilient and self-sufficient by providing opportunities for:

- i. food to be grown in private, communal or public spaces
- ii. water to be locally sourced for appropriate uses, and
- iii. energy to be locally generated and sourced.

2.5.4.3 Sustainability of infrastructure

Development ensures:

- i. all infrastructure is appropriately designed and delivered to support the needs of development, and
- ii. existing infrastructure is well used and land that is required for future infrastructure is preserved.

2.5.4.4 Water management

Development provides a stormwater management system ¹⁸ designed to deliver the principles of Water Sensitive Urban Design (WSUD) and Integrated Water Cycle Management (IWCM) for buildings, streets and public spaces. This can include working with established topography to sustainably manage surface water run-off at the source and deliver improved biodiversity, landscape amenity and recreational resources.

2.5.4.5 Energy efficiency

Development promotes energy efficiency through:

- site layout, building orientation and thermal design that reduces the need for mechanical cooling and heating
- ii. the use of natural light and energy efficient lighting, plant and equipment

and at least one of the following:

- iii. integration of solar generation technology within the built form or public realm, or
- iv. integration of green roofs, green walls or other sustainable landscape elements within the built form and the public realm, or
- v. integration of smart technology which passively controls the use of electricity.

¹⁸ Stormw ater management infrastructure and systems are designed in compliance with the Brisbane City Plan Infrastructure design planning scheme policy.

2.5.4.6 Waste management

Development:

- provides facilities for recycling, composting and waste reduction, in addition to the provision of facilities for the removal of waste. Where possible, waste management facilities are centrally located on the site, and
- ii. ensures that no liquid or solid wastes, other than stormwater, are discharged to neighbouring land or waters to prevent contamination of natural waterways.

2.5.4.7 Transport efficiency

Development:

- i. integrates with public transport and active transport infrastructure
- ii. supports a reduction in car ownership and vehicle trips by providing car share facilities, ride share access, cycle access, cycle storage facilities and pedestrian permeability, and
- iii. provides facilities to support the charging of electric vehicles including at least one Destination AC charger¹⁹ and the electrical capacity for Basic AC charging²⁰ on all non-visitor parking.

2.5.5 Infrastructure planning and delivery

Development ensures:

- i. planned future infrastructure is provided or that its future provision is not constrained, and
- ii. Infrastructure networks are designed and delivered to meet relevant standards, in a timely and coordinated way which facilitates ongoing development in the PDA.

2.5.6 Heritage places

Development promotes the historic identity of the Bowen Hills PDA, by conserving the cultural significance of heritage places²¹ and sensitively managing any development and adaptive reuse opportunities by:

- avoiding significant adverse impacts on the cultural heritage significance of the place²² by protecting the fabric, features and setting of a heritage place when providing for its continued use, interpretation and management
- ii. where adverse impacts cannot be avoided, minimising and mitigating unavoidable adverse impacts on the cultural heritage significance of the place or area, by adapting a heritage place to a new use in a way that is compatible and sympathetic to its heritage significance²³, and
- iii. minimising the detrimental impact of the form, bulk and proximity of adjoining development on heritage places.

¹⁹ Destination AC charging requires three phase 415V, 16-32A, supplying11-22kW of power. If three phase power is unavailable, single phase 40A may be acceptable.

²⁰ Basic AC charging requires supply of a dedicated AC circuit of 240 volts, 10-15amps, supplying 2.4-3.7kW of pow er.

²¹ Heritage places listed on the Queensland Heritage Register and Brisbane City Council Heritage Register within the Bow en Hills PDA are identified on map 3 and listed in schedule 4.

²² Refer to the relevant Queensland Heritages Register statement of significance or Brisbane City Council Heritage Register citation.

²³ To understand how to fulfil these requirements, development applicants should refer to:

Developing Heritage Places: Using the development criteria document, a guideline prepared by Department of Environment and Science, and available at https://www.qld.gov.au/environment/land/heritage/publications/.

The Burra Charter: The Australia ICOMOS Charter for Places of Cultural heritage significance 2013, available at http://australia.icomos.org/publications/charters/ along with a number of useful Practice Notes.

2.5.7 Environment

2.5.7.1 Significant vegetation

Development:

- i. avoids impacts on significant vegetation, or
- ii. minimises and mitigates impacts on significant vegetation after demonstrating avoidance is not reasonably possible²⁴, and
- iii. provides an offset if, after demonstrating all reasonable avoidance, minimisation and mitigation measures are undertaken, the development results in significant residual impact on a prescribed environmental matter²⁵.

2.5.7.2 Waterways and riparian areas

Development:

- i. ensures that land along Breakfast Creek within 10m of the high water mark is provided as publicly accessible open space
- ii. is located, designed, constructed and operated to avoid or where avoidance is not reasonably possible minimises and mitigates adverse impacts on:
 - a. the hydraulic capacity of the waterway²⁶
 - b. the environmental values of receiving waters²⁷, and
- iii. protects environmental values of receiving waters by delivering appropriate solutions that achieve an equivalent or improved water quality outcome.

2.5.7.3 Acid sulfate soils

Development:

- i. ensures acid sulfate soils (ASS) will be treated in accordance with current best practice in Queensland
- ensures the disturbance of ASS should is avoided to the greatest extent practical, then managed to reduce risks posed to the natural and built environments from the release of acid and metal contaminants, and
- iii. that is operational work will require an ASS investigation if the work involves:
 - a. the disturbance of greater than 100m3 of soil below 5m Australian Height Datum (AHD), or
 - b. the placement of greater than or equal to 500m³ of fill material in layer of greater than or equal to 0.5m in average depth below 5m AHD.

²⁴ Consideration should be given to circumstances where the removal of significant vegetation is necessary for public safety

²⁵ Refer to the Department of Environment and Science environmental offsets framework available at www.ehp.qld.gov.au

²⁶ Refer to Brisbane City Plan Compensatory earth works planning scheme policy where development involves filling or excavation (> 100mm in depth) on land identified on the Brisbane City Plan Waterways corridor overlay map as a Local waterway corridor.

²⁷ Consideration should be given to State Planning Policy (SPP) in particular the State interest of water quality and the SPP code: Water quality.

2.5.8 Flood

Development in a flood hazard area or coastal hazard area²⁸:

- i. is designed and located to avoid, or where avoidance is not reasonably possible minimise and mitigate the susceptibility to and the potential impacts of inundation
- ii. ensures underground car parks are designed to prevent the intrusion of storm tide waters or flood waters by the incorporation of a bund or similar barrier with a minimum height of 300mm above the defined flood level
- iii. provides measures to ensure critical services²⁹ remain operational in an inundation event. Essential electrical services including substation equipment and switchboards must be located above the defined flood level, and
- iv. ensures any hazardous material manufactured or stored on site is not susceptible to risk of inundation.

2.5.9 Managing the impacts of infrastructure

2.5.9.1 Railway environment

Development³⁰:

- i. does not create a safety hazard for users of a railway, by increasing the likelihood or frequency of loss of life or serious injury
- ii. does not compromise the structural integrity of railways, rail transport infrastructure, other rail infrastructure or railway works
- iii. does not result in a worsening of the physical condition or operating performance of railways and the rail network
- iv. does not compromise the state's ability to construct railways and future railways, or significantly increase the cost to construct railways and future railways
- v. does not compromise the state's ability to maintain and operate railways, or significantly increase the cost to maintain and operate railways, and
- vi. ensures the community is protected from significant adverse impacts resulting from environmental emissions generated by a railway.

2.5.9.2 Sub-surface transport infrastructure

Development does not adversely impact the structural integrity or ongoing operation and maintenance of sub-surface transport infrastructure that is an existing or endorsed proposed tunnel³¹.

2.5.9.3 Noise – Transport noise corridors and entertainment venues

Development is oriented, designed and constructed to:

Refer to Brisbane City Plan Flood overlay map and Coastal hazard overlay map. Assessment against the Brisbane City Plan 2014 Flood overlay code should be provided for development in a flood hazard area. Assessment against the Brisbane City Plan 2014 Coastal hazard overlay code should be provided for development in a coastal hazard overlay area

²⁹ Critical electrical services include any area or room used for fire control panel, telephone PABX, sensitive substation equipment including transformers, low voltage switch gear, high voltage switch gear, battery chargers, protection control and communication equipment, low voltage cables, high voltage cables, and lift or pump controls.

³⁰ Refer to the Queensland Government Development Assessment Mapping System and the State Development Assessment Provisions – State Code 2: Development in a railway environment

³¹ Development located in proximity to sub-surface transport infrastructure is to be supported by the submission of engineering and geological reports and certification or consent provided by the relevant infrastructure owner. Exisiting sub-surface transport infrastructure within the PDA is identified on map 4.

- i. reduce exposure to noise impacts from designated transport noise corridors 32, and
- ii. reduce the exposure of residential uses to noise impacts from lawfully operating entertainment venues³³.

2.5.9.4 Procedures for air navigation services

Development does not create a permanent or temporary obstruction or hazard to operational airspace of the Procedures for Air Navigation Services – Aircraft Operational Surfaces (PANS-OPS)³⁴ for the Brisbane Airport as identified on the Brisbane City Plan Airport Environs overlay mapping.

2.5.9.5 Point source pollutants

Development must limit exposure and risk associated with pollutants that could have an adverse effect on human health³⁵.

Development in a transport air quality overlay is designed to³⁶:

- minimise the impacts of air pollution from vehicle traffic on the health and wellbeing of uses of a childcare centre, multiple dwelling, residential care facility or retirement facility, and
- ii. maximise wind movement around buildings and the dispersion of traffic air pollutants.

Development within 100m of the Clem Jones Tunnel north ventilation outlet³⁷ and above RL+45m AHD must be designed and oriented to:

- i. avoid unreasonable impacts on the performance of the ventilation outlet, and
- ii. mitigate potential air quality impacts on occupants resulting from the ventilation outputs.

Development within 150m of the Queensland Urban Utilities odour control device³⁸ must be designed and oriented to mitigate:

- unreasonable impacts on the performance of the odour control device
- ii. potential air quality impacts on occupants resulting from the odour control device
- iii. the intrusion of air pollution from the odour control device, and
- iv. reverse amenity impacts on the lawful operation of the odour control device³⁹.

Development for a sensitive use within 500m of an existing High impact industry identified on Brisbane City Plan Industrial amenity overlay map is designed and constructed to achieve acceptable air quality, odour and health risk standards⁴⁰.

³² Refer to Brisbane City Plan Transport Noise overlay map.

 $^{^{33}}$ A building is designed and constructed to achieve a minimum reduction in sound pressure level between the exterior of the building and the bedroom or living room, of $L_{\text{Leq,T}}$ 20dB at 63Hz where adjoining a law fully operating entertainment venue. Residents living near law fully operating entertainment venues also need to be aware that noise levels will be relatively higher both inside and outside of residences.

³⁴ Refer to Brisbane City Plan Airport Environs overlay code. Where development intrudes into Brisbane Airport's PANS-OPS, advice from the Civil Aviation Safety Authority will be provided as part of a PDA development application.

³⁵ Refer to Brisbane City Council's Air Quality Planning Scheme Policy and the Queensland EPA Guidelines on Odour Impact Assessment from Developments.


³⁶ Refer to Brisbane City Council's Transport air quality corridor overlay and the Transport air quality overlay code.


³⁷ Refer to map 5 to identify the location of the Clem Jones Tunnel north ventilation outlet and property within 100mof it.

³⁸ Refer to map 5 to identify the location of the Queensland Urban Utilities Odour Control Device and property within 150m of it.

³⁹ All proposed development w ithin the 150m buffer and above RL65m AHD w ill be required to submit an air quality impact report prepared in accordance with the Brisbane City Plan Air Quality Planning Scheme Policy. This report will be referred to Queensland Urban Utilities through development assessment processes.

⁴⁰ Refer to Brisbane City Plan Industrial amenity overlay code.








2.6 Zone provisions

All land in the Bowen Hills PDA is included in a zone. The spatial arrangement of zones is shown on map 6. The levels of assessment for development in zones are established in table 2.





2.6.1 Medium density residential zone

2.6.1.1 Preferred development intent

Development provides for a range of residential types including dwelling houses, multiple residential and other accommodation types in a low-rise built form (including community residence, residential care facilities, rooming accommodation, retirement facilities and short-term accommodation).

Development can include detached and attached building forms that are compatible with the residential character of the street and surrounding buildings.

2.6.1.2 Built form provisions⁴¹

| Maximum plot ratio Maximum height provisions | | 1:1 |
|---|-------------------------|--|
| | | 4 storeys ⁴² . |
| Building envelope | Street frontage setback | 3m to balconies. 6m to external wall. |
| | Built to boundary walls | On the ground level only and a maximum length of 15m and for non-habitable spaces. |
| | Side setback | 3m |
| | Rear setback | 6m |

FRONT ELEVATION Side boundary boundary Max 4 storeys Built to boundary on the ground floor

Figure 1: Built form provisions - Medium density residential zone

| Building form | Scale and bulk | A maximum length of 30m on any one outer building wall. |
|---|----------------|--|
| | | A maximum wall length of 10m between building articulations. |
| | Orientation | Development is oriented to the street frontage. |
| secondary street frontages. Separation A minimum 6m separation distance to balco | | Development on a corner lot is oriented to address both the primary and secondary street frontages. |
| | | A minimum 6m separation distance to balconies or windows in habitable rooms at ground level, unless screened by a 1.8m high fence. |
| | | A minimum 9m separation distance to balconies or windows in habitable rooms above ground level. |

⁴¹ Built form provisions are not applicable to development for a dw elling house. EDQ Guideline no.7 Low rise buildings should be referred to for a proposed dw elling house.

⁴² Refer to section 2.2.4. Development which does not comply with the maximum building height for the Medium density residential zone is inconsistent with the land use plan.

| | Fences | Front fences or walls to ground floor dwellings are 50% visually permeable and no higher than 1.5m. | | | |
|------------------------------------|----------|---|--|--|--|
| | | Side and rear boundary fencing is a minimum of 1.8m in height, if buildings are not built to boundary. | | | |
| | Rooftops | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. | | | |
| | | Varied roof forms are incorporated to contribute to the architectural distinction of the building. | | | |
| | | Roof top areas may be utilised for communal open space and other passive recreation uses. | | | |
| Communal open space and facilities | | Development of 6 or more dwellings provides universally accessible communal open space as follows: | | | |
| | | i. a minimum 15% of the site area | | | |
| | | ii. a minimum area of 40m² and a minimum dimension of 4m | | | |
| | | iii. a combination of ground level, vertically integrated or roof top settings | | | |
| | | iv. respects the privacy of both users and those overlooking from neighbouring properties | | | |
| | | v. includes landscape and deep planting shade trees or structures suited to the subtropical environment | | | |
| | | vi. positioned for good solar orientation and minimises water use, and | | | |
| | | vii. excludes driveways, storage or turning areas. | | | |
| Private open space | | All dwellings have private open space or balconies, with a minimum area of 12m ² and minimum dimension of 3m. | | | |
| | | Balconies are appropriately screened to maximise privacy between buildings and the public realm, without compromising CPTED principles. | | | |
| | | Ground floor private open space provides privacy but also allows overlooking of the street to promote passive surveillance. | | | |
| | | | | | |

2.6.1.3 Urban design

| Building elements and appearance | Buildings are well articulated with varied materials and design details, external balconies, verandas, terraces, recessed doors and doorways, windows, shade and screening devices, and outdoor planting. |
|----------------------------------|--|
| الراجاء | Residential building design ensures visual and noise privacy, adequate storage space, adequate room sizes, functional room relationship and the provision of useable and well connected common outdoor spaces. |
| | Development provides a well-defined entry point for pedestrians. |
| | Ground level dwellings have direct street access. |
| | Building form allows for cross ventilation and supports a naturally ventilated and comfortable environment. |
| Landscape | On-site landscape and shade trees contribute to the area's streetscape and residential character. |
| | A minimum of 50% of the street frontage is landscaped. |
| Public realm | Development addresses and provides passive surveillance of its interface with the street and other adjoining public spaces. |
| | Streetscape treatments facilitate pedestrian and cycle amenity and safety. |

2.6.2 High density residential zone

2.6.2.1 Preferred development intent

Development provides for a range of residential types including multiple residential and other accommodation types in a mid-rise built form (including community residences, residential care facilities, rooming accommodation, retirement facilities and short-term accommodation).

Development is predominantly in attached building forms that are compatible with the residential character of the street and surrounding buildings.

Shops or community facilities not exceeding 250m² of GFA are appropriate on the ground level to provide services and support to the residential community.

2.6.2.2 Built form provisions⁴³

| Maximum plo | ot ratio | 2:1 | |
|----------------------------------|--------------|---------------------------|--|
| Maximum height provisions | | 8 storeys ⁴⁴ . | |
| Building Street frontage setback | | Ground level | 3m to non-residential uses 6m to residential uses |
| | | Up to 4 storeys | 3m to balconies. 6m to external walls. |
| | | Above 4 storeys | 9m |
| | Side setback | Up to 4 storeys | 0m - On the ground level only for non-habitable spaces and a maximum length 15m. Otherwise 3m. |
| | | Above 4 storeys | 6m to habitable rooms. 4m to balconies, non-habitable rooms. |
| | Rear setback | Up to 4 storeys | 6m |
| | | Above 4 storeys | 9m |




Figure 2: Built form provisions - High density residential zone

⁴³ Built form provisions are not applicable to development for a dwelling house. PDA Guideline no.7 Low rise Buildings should be referred to for a proposed dwelling house.

⁴⁴ Refer to section 2.2.4. Development which does not comply with the maximum building height for the High density residential zone is inconsistent with the land use plan

| Building form | Scale and bulk | Maximum building footprint of 1,200m ² . | | |
|-----------------|------------------------|--|--|--|
| | | Any part of a building above a podium has a maximum site coverage of 60%, and a maximum horizontal dimension of 50m. | | |
| | | A maximum length of 30m on any one outer building wall. | | |
| | | A maximum wall length of 10m between building articulations. | | |
| | Orientation | Development is oriented to the street frontage. | | |
| | | Development on a corner lot is oriented to address both the primary and secondary street frontages. | | |
| | Separation distances | A minimum 6m separation distance to balconies or windows in habitable rooms at ground level, unless screened by a 1.8m high fence. | | |
| | | A minimum 8m separation distance to balconies above the ground level. | | |
| | | A minimum 12m separation distance to windows in habitable rooms above the ground level. | | |
| | Fences | Front fences or walls to ground floor dwellings are 50% visually permeable and no higher than 1.5m. | | |
| | | Side and rear boundary fencing is 1.8m in height, if buildings are not built to boundary. | | |
| | Rooftops | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. | | |
| | | Varied roof forms are incorporated to contribute to the architectural distinction of the building. | | |
| | | Roof top areas may be utilised for communal open space and other passive recreation uses. | | |
| Communal ope | n space and facilities | Development provides universally accessible communal open space as follows: | | |
| | | i. a minimum 25% of the site area | | |
| | | ii. a minimum area of 40m² and a minimum dimension of 4m | | |
| | (C | iii. a combination of ground level, vertically integrated or roof top settings | | |
| | H | iv. respects the privacy of both users and those overlooking from neighbouring properties | | |
| | C | v. includes landscape and deep planting shade trees or structures suited to the subtropical environment | | |
| | | vi. positioned for good solar orientation and minimises water use, and | | |
| | | vii. excludes driveways, storage or turning areas. | | |
| Private open sp | ace | Development provides all dwellings with private open space or balconies, which is equal to a minimum 12m², having a minimum dimension of 3m. | | |
| | | Balconies are appropriately screened to maximise privacy between buildings and the public realm, without compromising CPTED principles. | | |
| | | Ground floor private open space must provide privacy but still allow overlooking of the street to promote passive surveillance. | | |
| | | | | |
| | | | | |

2.6.2.3 Urban design

| Building elements and appearance | Buildings are to be well articulated with varied materials and design details, external balconies, verandas, terraces, recessed doors and doorways, windows, shade and screening devices and outdoor planting. |
|----------------------------------|--|
| | Residential building design ensures visual and noise privacy, adequate storage space, adequate room sizes, functional room relationship and the provision of useable and well connected common outdoor spaces. |
| | Development provides a well-defined entry point for pedestrians. |
| | Building form allows for cross ventilation and supports a naturally ventilated and comfortable environment. |
| | Buildings incorporate appropriate weather protection, eaves and overhangs, screening, and shading structures on the building facades to channel breezes, filter sunlight, block out night lighting and provide rain protection. |
| Ground level treatment | Development activates street frontages and encourages pedestrian activity by providing a high frequency of front entries or doors to dwellings, non-residential tenancies or communal spaces which are emphasised through architectural and landscape treatment, pedestrian paths and awnings. |
| | Ground level building elements introduce a variety of details and finishes. |
| | Development involving non-residential tenancies or communal uses on the ground floor provides continuous 2m wide awnings with integrated lighting to provide shelter and protection from the elements. |
| | Ground level dwellings have direct street access. |
| | For development that is set back from the street frontage or for residential use and without awnings, street trees are provided and give protection from climatic conditions and separate pedestrians from traffic movement. |
| Podium treatment | Podiums are designed to address, activate and provide a visual appeal to street frontages. |
| | Podiums include articulations in building facades and landscape treatments to reduce the visual bulk of the building and provide an appropriate transition between the ground floor and upper storeys. |
| | Podiums maintain a strong relationship with the street by framing and activating the public realm and entrance spaces while reinforcing the street hierarchy. |
| | Podium tops provide space for communal open spaces and roof gardens. |
| Tower treatment | Towers provide for balconies to be offset and avoid visual access to habitable rooms or outdoor spaces and to provide visual diversity in the built form. |
| .0 | Towers include articulation and varied design details to create visual appeal. |
| | Residential towers include balconies and other external protrusions which separate the core from direct solar heating. |
| Landscape | Development provides on-site landscape and shade trees that contributes to the area's streetscape and residential character. |
| | Development provides landscaped areas, including deep planting, along a minimum length of 50% of street frontages. |
| Public realm | Development addresses and provides passive surveillance of its interface with the street and other adjoining public spaces. |
| | Streetscape treatments facilitate pedestrian and cycle amenity and safety. |

2.6.3 Mixed use zone

2.6.3.1 Preferred development intent

Development provides a wide range and intensity of commercial, retail, community, entertainment, cultural activities and residential uses in a predominantly high-rise built form. Development comprises a tower and a podium typology fronting the street, within a range of building heights, dependent on site area. The greatest development yields and heights in the zone are achieved on larger lots. Development on larger sites reduces visual bulk and shade impacts by providing multiple towers with appropriate separations.

Development surrounding the public transport stations provides for concentrations of commercial uses that capitalise on the areas proximity to high frequency public transport.

2.6.3.2 Built form provisions

| Maximum plot ratio | | Sites 800 m ² or greater but less than 1,200m ² | Sites 1,200m ² or greater but less than 1,600m ² | Sites 1,600m ² or greater but less than 3,000m ² | Sites 3,000m ² or greater but less than 10,000m ² | Sites 10,000m ² or greater |
|---------------------------|---|---|--|--|---|---|
| | | 2:1 | 4:1 | 6:1 | 8:1 | 9:1 |
| Minimum s | site area | 800m ² | | | | |
| Minimum f | rontage | 20m | | | | |
| Maximum height provisions | | Sites 800 m ² or greater but less than 1,200m ² | Sites 1,200m ² or greater but less than 1,600m ² | Sites 1,600m ² or greater but less than 3,000m ² | Sites 3,000m ² or greater | |
| | | 8 storeys | 16 storeys | 24 storeys | 30 storeys | |
| Building envelope | Street frontage setback Side setback ⁴⁵ Development in the mixed use zone on sites <1,200m² are to be assessed against the side setback | Ground level Up to 4 storeys Above 4 storeys Up to 4 storeys | 3m Om to balconies. 3m to external w 6m Om where a pod 6m to habitable 4m to balconies. 3m to non-habita | ium. | | |
| | provisions specified in the Residential High Density zone. Rear setback | Above 4 storeys | 9m | ibic rooms. | | |
| | | Up to 4 storeys | Om where a pode 6m to habitable 4m to balconies. | rooms. | | |
| | | Above 4 storeys | 3m to non-habita | ible 100MS. | | |

⁴⁵ Setbacks enable existing and future buildings to be well separated from each other and to avoid affecting the potential development of an adjoining site.




Figure 3: Built height and envelope provisions - Mixed use zone

| | | The state of the s |
|----------|----------------------|--|
| Building | Scale and bulk | Maximum tower footprint ⁴⁶ of 1,200m ² . |
| form | | Any part of a building above the podium has a maximum site coverage of 60%, and a maximum horizontal dimension of 50m. |
| | | A maximum length of 30m on any one outer building wall. |
| | | A maximum wall length of 10m between building articulations. |
| | Orientation | Development is oriented to the street frontage and activates the public realm. |
| | | Development on a corner lot is oriented to address both the primary and secondary street frontages. |
| Developm | | Development optimises seasonal solar gain and loss, taking into consideration major site views and vistas. |
| | .0 | Development is located and designed to minimise impacts from surrounding uses an infrastructure and maintain reasonable levels of amenity. |
| | Separation distances | A minimum 12m separation distance between balconies or windows in habitable rooms up to level 4. |
| | | A minimum 18m building separation above level 4. |
| | Fences | Side and rear boundary fencing is 1.8m in height, if buildings are not built to boundary. |
| | Rooftops | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. |
| | | Varied roof forms are incorporated to contribute to the architectural distinction of the building. |
| | | Roof top areas may be utilised for communal open space and other passive recreation uses. |

 $^{^{46}}$ Larger tow er footprints proposed for commercial development can be considered in context of potential impacts upon neighbouring property and compliance with building envelope and building separation provisions.

Communal open space and facilities

Development provides universally accessible communal open space as follows:

- i. a minimum of 100% of the site area for residential developments and mixed use development including residential uses
- ii. a minimum of 10% of the site area for non-residential developments
- iii. a minimum of 60m², having a minimum dimension of 6m
- iv. as a mix of ground level, vertically integrated or roof top settings
- v. respects the privacy of both users and those overlooking from neighbouring properties
- vi. includes landscape and deep planting shade trees or structures suited to the subtropical environment
- vii. is positioned for good solar orientation and minimises water use, and
- viii. does not include driveways, storage or turning areas.



Figure 4: Options for the placement of communal open space and facilities

Private open space

Development provides all dwellings with private open space or balconies, which is equal to a minimum 12m², having a minimum dimension of 3m.

Balconies are appropriately screened to maximise privacy between buildings and the public realm, without compromising CPTED principles.

Ground floor private open space must provide privacy but still allow overlooking of the street to promote passive surveillance.

2.6.3.3 Urban design

Building elements and appearance

High-rise buildings must have distinct lower, middle and upper sections, including the ground floor, podium and tower levels, providing for variation in the built form.

Buildings are to be well articulated with varied materials and design details, external balconies, verandas, terraces, recessed doors and doorways, windows, shade and screening devices and outdoor planting.

Residential building design ensures visual and noise privacy, adequate storage space, adequate room sizes, functional room relationship and the provision of useable and well connected common outdoor spaces.

Development provides a well-defined entry point for pedestrians.

Building form allows for cross ventilation and supports a naturally ventilated and comfortable environment.

Buildings incorporate appropriate weather protection, eaves and overhangs, screening, and shading structures on the building facades to channel breezes, filter sunlight, block out night lighting and provide rain protection.



Figure 5: Building form, scale, bulk and articulation

| Basements | Basements are within property boundaries. Basement level 1 is clear of street alignments to allow areas for deep planting at the street level. |
|------------------------|--|
| Ground level treatment | Street activation is achieved through a variety of measures, including varied design concepts and providing a high frequency of foyers, front entries, windows or doors to commercial, retail, community, communal and residential uses. Mixed-use developments provide a predominantly commercial and retail character at the ground floor level, which activate the street. |

Front entries to all buildings are emphasised through architectural and landscape treatment, pedestrian paths, appropriate lighting and the provision of continuous awnings.

Foyers open toward the public realm and contain active spaces that engage people, such as reception desks, seating areas, cafes and display spaces.

Non-residential uses at ground level provide:

- i. a minimum 4.5m ground level ceiling height
- ii. continuous 3m wide awnings⁴⁷ over the footpath with integrated lighting to provide shelter and protection from the elements
- iii. a variety of building elements, details, finishes and setbacks on the ground floor to create plazas, outdoor dining areas, landscape spaces or open vistas, and
- iv. places for a wide range and rich variety of activities and uses, formal and informal gathering and interaction.



Figure 6: Ground level treatment for non-residential uses

Residential uses at ground level provide:

- v. direct street access to each ground level dwelling
- vi. landscaping, including deep planting, along a minimum length of 50% of street frontages
- vii. front fences or walls to which are at minimum 50% visually permeable and no higher than 1.5m, and
- viii. a minimum 4.5m ground level ceiling height.

⁴⁷ Where verge widths do not permit full size aw nings, a reduction to 2m will be acceptable.



Figure 7: Ground level treatment for residential uses

Podium treatment

Podiums are designed to address, activate and provide a visual appeal to street frontages.

Any parking included in a podium must be sleeved with active uses fronting the street.

Podiums include articulations in building facades and landscape treatments to reduce the visual bulk of the building and provide an appropriate transition between the ground floor and upper storeys.

Podiums maintain a strong relationship with the street by framing and activating the public realm and entrance spaces while reinforcing the street hierarchy.


Development of podium levels facing street frontages or public spaces include windows, doors and balconies that allow for activity, visual connection and passive surveillance.

Development of the lower 4 storeys of the building includes variation in plan shape and vertical profile, balconies, display windows and the like orientated to the street.

Podium tops provide valuable space for communal open spaces and roof gardens.



Figure 8: Podium treatment for non-residential uses



2.6.4 Industrial zone

2.6.4.1 Preferred development intent

Development provides for a range of industrial and commercial activities such as service industry, low impact industry, limited medium impact industry, warehouses and ancillary showrooms and small scale offices.


Other uses that complement the intended industrial-commercial character of the locality may also occur, such as service station, shop (not exceeding 250m²GFA) and indoor sport and recreation.

2.6.4.2 Built form provisions

| Maximum plot ratio Maximum height provisions | | 2:1 | | |
|---|---------------|-----------------|----|-----|
| | | 4 storeys | | |
| Building | Front setback | 6m | | 10, |
| envelope | Side setback | Up to 2 storeys | 0m | 6 |
| | | Above 2 storeys | 4m | 0-3 |
| | Rear setback | 0m | | |

FRONT ELEVATION

SIDE ELEVATION






Figure 10: Built form provisions - Industrial zone

| Building form | Scale and bulk | A maximum length of 30m on any one outer building wall on the street frontage. | |
|---------------------|----------------|--|--|
| | | A maximum wall length of 10m between building articulations. | |
| | Orientation | Development is oriented to the street frontage. | |
| | | Development on a corner lot is oriented to address both the primary and secondary street frontages. | |
| | (,C | Lots are oriented so that buildings can be sited to maximise passive solar design, including generally east-west orientation lots along Abbotsford Road and north-south orientation along all other streets. | |
| | Site Cover | Maximum site cover 75%, not including hardstand areas. | |
| | Fences | Front fences or walls must be 50% visually permeable and no higher than 1.5m. | |
| | Rooftops | Rooftops of large span buildings incorporate natural lighting fixtures. | |
| | | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. | |
| | | Varied roof forms are incorporated to contribute to the architectural distinction of the building. | |
| | | Roof top areas can be utilised for employee recreation, solar energy, cool roof and green roof uses. | |
| Communal facilities | open space and | Development provides communal open space for employees: | |
| | | i. a minimum of 10% of the site area or 40m², whichever is greater | |
| | | ii. as a mix of ground level, vertically integrated or roof top settings, and | |
| | | iii. does not include driveways, storage or turning areas. | |

2.6.4.3 Urban design

| Building elements and appearance | Buildings are to be well articulated with varied materials and design details, signage, recessed doors and doorways, windows, shade and screening devices and outdoor planting that provides a distinctively industrial-commercial appearance. |
|----------------------------------|--|
| | Building form allows for cross ventilation and supports a naturally ventilated and comfortable environment. |
| Landscape | Development provides landscaped areas along a minimum length of 50% of street frontages. |
| Ground level treatment | Ground level building elements are to introduce a variety of details and finishes. |
| | Front entries to all buildings are to be emphasised through architectural and landscape treatment, pedestrian paths and awnings so as to be obvious without the need for signage and address requirements for active frontages. |
| | Buildings incorporate appropriate weather protection, screening and shading structures on the building facades to channel breezes, filter sunlight and provide rain protection. |
| | Buildings with a width of greater than 30m should be set back from both side boundaries in order to minimise the impact of a continuous built form along the street frontage. |
| | Pedestrian generating uses including showroom and office components are located at the street frontage to provide visual interest to the street, create a more activated environment and promote in passive surveillance. |
| | Buildings should be designed to address car parking areas with windows and entrances providing passive surveillance. |
| Public realm | Development addresses and provides passive surveillance of its interface with the street and other adjoining public spaces. |
| | Streetscape treatments facilitate pedestrian and cycle amenity and safety. |

2.6.5 Mixed industry and business zone

2.6.5.1 Preferred development intent

Development provides for a range of commercial, showroom, service industry, low impact industry and warehouse uses on large parcels of land in a business park environment. Uses are focused on knowledge creation and entrepreneurial activities along with complementary uses such as shop (not exceeding 250m² GFA), food and drink outlet, short term accommodation, community facilities and indoor sport and recreation.

2.6.5.2 Built form

| Maximum plot ratio Minimum site area Minimum frontage | | 3:1 | _ | |
|---|-----------------|-------------------|------------------------------|--|
| | | 800m ² | 800m ² 20m | |
| | | 20m | | |
| Maximum he | ight provisions | 8 storeys | | |
| Building envelope | Front setback | Ground level | 3m | |
| envelope | | Up to 4 storeys | 0m | |
| | | Above 4 storeys | 6m | |
| | Side setback | Up to 4 storeys | 0m where podium car parking. | |
| | | | Otherwise 3m | |
| | | Above 4 storeys | 6m | |
| | Rear setback | Up to 4 storeys | 0m where podium car parking | |
| | | | Otherwise 6m | |
| | | Above 4 storeys | 9m | |




Figure 11: Built form provisions - Mixed industry and business zone

| Building form | Scale and bulk | Any part of a building above the podium has a maximum site coverage of 60%, and a maximum horizontal dimension of 50m. |
|---------------|----------------|--|
| | | A maximum length of 30m on any one outer building wall on the street frontage. |
| | | A maximum wall length of 10m between building articulations. |
| | Orientation | Development is oriented to address Thompson Street and Murray Street frontages. |
| | | Development on a corner lot is oriented to address both the primary and secondary street frontages. |

| Building separations | Above 4 storeys: |
|------------------------------------|---|
| | i. minimum 12m separation distance between commercial buildings, or |
| | ii. minimum 18m separation distance from any residential building. |
| Fences | Front fences or walls must be 50% visually permeable and no higher than 1.5m. |
| Rooftops | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. |
| | Varied roof forms are incorporated to contribute to the architectural distinction of the building. |
| | Roof top areas can be utilised for employee recreation, solar energy, cool roof and green roof uses. |
| Communal open space and facilities | Development of provides universally accessible communal open space: |
| | i. a minimum of 10% of the site area |
| | ii. a minimum of 40m², having a minimum dimension of 4m |
| | iii. as a mix of ground level, vertically integrated or roof top settings |
| | iv. respects the privacy of both users and those overlooking from neighbouring properties |
| | v. includes landscape and deep planting shade trees or structures suited to the subtropical environment |
| | vi. is positioned for good solar orientation and minimises water use, and |
| | vii. does not include driveways, storage or turning areas. |

2.6.5.3 Urban design

| 2.0.3.3 Orban design | |
|----------------------------------|---|
| Building elements and appearance | Development addresses the street with commercial showrooms, retail and industrial tenancies and well defined entries for pedestrians on the ground floor. |
| | Buildings are to be well articulated with external facades treatments, varied material and design detail, balconies, recessed doors and doorways, windows, shade and screening devices and outdoor planting that provides a distinctively commercial appearance. |
| BL | Buildings incorporate appropriate weather protection, screening, and shading structures on the building facades to channel breezes, filter sunlight and provide rain protection. |
| Ground level treatment | Development along Thompson Street and Murray Street activates street frontages through a variety of measures, including varied design concepts and providing a high frequency of front entries or doors to commercial, industrial, retail, community and communal uses. |
| | Front entries to all buildings active street frontages and are emphasised through architectural and landscape treatment, pedestrian paths and the provision of continuous awnings. |
| | Pedestrian generating uses including showrooms and commercial uses, should be located at the street frontage to provide visual interest to the street, create a more pedestrianised scale and assist in passive surveillance of the public realm. |
| | Buildings should be designed to address car parking areas with windows and entrances providing passive surveillance. |

| Podium treatment | Podiums are designed to address, activate and provide a visual appeal to street frontages. |
|------------------|--|
| | Podiums include articulations in building facades and landscape treatments to reduce the visual bulk of the building and provide an appropriate transition between the ground floor and upper storeys. |
| | Podiums maintain a strong relationship with the street by framing and activating the public realm and entrance spaces while reinforcing the street hierarchy. |
| | Podium tops provide valuable space for communal open spaces and roof gardens. |
| Tower treatment | Towers include articulations and varied design details to create visual appeal. |
| Landscape | Development provides on-site landscape and shade trees that contributes to the area's streetscape and commercial character. |
| | Development provides landscaped areas, areas, including deep planting, along a minimum length of 50% of street frontages. |
| Public realm | Development contributes to an active and safe ground level public realm along Thompson Street and Murray Street. |
| | Development addresses and provides passive surveillance of its interface with the street and other adjoining public spaces, including land along Breakfast Creek. |
| | Streetscape treatments facilitate pedestrian and cycle amenity and safety. |
| | Development provides good pedestrian linkages to Perry Park. |
| PUBL | |
| RO | |
| | |
| | |
| | |

2.6.6 Sport and recreation zone

2.6.6.1 Preferred development intent

Development provides large-scale premises for community facilities, sporting events and occasional recreation and entertainment activities and special events associated with public and community group gatherings, including venues for conferences, private functions, clubs, indoor and outdoor sport and recreation (this could also incorporate ancillary catering, administrative office functions and sale of merchandise and tickets).

Development will consolidate formal sporting facilities within Perry Park and provide enhanced opportunities for more informal recreational facilities and accessible open space.

Development for a complementary use directly related to the core functions of the Sport and recreation zone, including shop (not exceeding 250m² GFA), food and drink outlet, office, health care services or telecommunications facility, may also be accommodated.

2.6.6.2 Built form

| Maximum height provisions | | 3 storeys | |
|---------------------------|----------------|---|--|
| Building | Setbacks | Development is setback a minimum 3m from street frontages. | |
| envelope | Site cover | Sporting fields or open space areas equal approximately 70% of the total site area. | |
| | | Any built structures comprise a small component of the total site and must be ancillary and directly associated with the primary use of the site for a major sport and recreation facility. | |
| Building | Scale and bulk | A maximum length of 30m on any one outer building wall. | |
| form | | A maximum wall length of 10m between building articulations. | |
| | Orientation | Development is oriented to the street frontage. | |
| | | Sporting fields are orientated north-south where possible. | |
| | | Pavilions and viewing areas are sited on the western side of the playing field to avoid spectators looking into the afternoon sun. | |
| | | Public open space is located on street edges to maximise accessibility and safety. | |
| | Rooftops | Roofs are designed to ensure plant and equipment are screened or otherwise integrated with the overall roof design. | |
| | ,C | Varied roof forms are incorporated to contribute to the architectural distinction of the building. | |
| | 0 | Roof top areas can be utilised for employee recreation, solar energy, cool roof and green roof uses. | |
| | Lighting | Development provides outdoor lighting which is in compliance with: | |
| | | i. AS 4282-1997 Control of the obtrusive effects of outdoor lighting | |
| | | ii. AS 2560-2007 Sports lighting Part 2.3: Specific applications— Lighting for football (all codes), and | |
| | | iii. AS/NZS 1158 Set: 2010 Lighting for streets and public spaces. | |

2.6.6.3 Urban design

| Building elements and appearance | Development provides distinctive form and appearance at the corner of Abbotsford Road and Folkestone Street and addresses both frontages. |
|----------------------------------|--|
| | Buildings are well articulated with external facades treatments, varied material and design detail, balconies, recessed doors and doorways, windows, shade and screening devices and outdoor planting to reduce the visual bulk of the building. |
| | Development provides a well-defined entry point for pedestrians. |
| | Building form allows for cross ventilation and supports a naturally ventilated and comfortable environment. |
| | Buildings incorporate appropriate weather protection, screening and shading structures on the building facades to channel breezes, filter sunlight and provide rain protection. |
| | As far as possible, shadows from buildings or evergreen tree canopy shall not encroach upon the playing field between the hours of 9.00am and 3.00pm, as determined by the winter solstice sun angle. |
| Ground level treatment | Front entries to all buildings activate street frontages and are emphasised through architectural and landscape treatment, pedestrian paths and awnings to offer shelter and protection from the elements. |
| | Pedestrian generating uses including showroom and office uses, should be located at the street frontage to provide visual interest to the street, create a more pedestrianised scale and assist in passive surveillance of the public realm. |
| Amenity | Development does not impose unreasonable adverse amenity impacts on the surrounding residential area in terms of its location of buildings, vehicle access areas, lighting or operations. |
| Landscape | Existing on-site vegetation (trees) is retained. |
| | Development provides on-site landscape and shade trees that contributes to the area's streetscape. |
| | Development provides landscaped areas along a minimum length of 50% of street frontages. |
| Public realm | Development contributes to an active and safe public realm by addressing the ground level along Edmonstone Road and Abbotsford Road. |
| | Streetscape treatments facilitate pedestrian and cycle amenity and safety. |
| | Development facilitates passive surveillance and provides good sightlines to publicly accessible areas such as car parks, pathways, public toilets and communal areas. |
| | Development provides good pedestrian linkages to Perry Park. |
| | Development includes way-finding cues and minimises predictable routes and entrapment locations near public spaces. |

2.6.7 Open space zone

2.6.7.1 Preferred development intent

Land in the open space zone caters for a full range of publicly accessible outdoor recreation, informal sport or events on a casual basis and the facilities and embellishments associated with these such as picnic amenities, playground, shade trees and landscaped areas.

Physical structures within the Open space zone occupy only a small part of any site and may include pedestrian and cycle pathways, shelters, facilities for spectators, club buildings and associated off-street parking facilities.

Development ensures that any buildings, structures and ancillary facilities support the primary intent of the zone for recreation and informal sporting uses and are compatible in scale, bulk, design and character of a park.

2.6.8 Special purpose (transport) zone

2.6.8.1 Preferred development intent

Development provides for infrastructure, activities and associated facilities that support the effective functioning of the transport system including:

- i. rail lines, stations and associated facilities
- ii. major road tunnels, bridges and intersections and infrastructure not otherwise included in a road reserve.

In addition to providing for this infrastructure, the zone caters for a range of activities and facilities for recreational and community purposes including pedestrian and cycle paths, landscaped areas and incidental open space.

Opportunities for building over infrastructure within the Special purpose (transport) zone are facilitated, where compliance with the provisions of the zone immediately adjoining the Special purpose (transport) zone can be demonstrated.

2.6.8.2 Development provisions

Development does not unreasonably constrain the future provision of public transport infrastructure (including rail, light rail, road, busway and cycle infrastructure) and does not adversely impact on the function or operation of existing or future public transport corridors including rail, light rail or busway corridors.

Where building over infrastructure is proposed, appropriate clearances must be maintained to ensure the safety of the operation of both the infrastructure and development.

Development may provide opportunities for building over infrastructure corridors and providing air rights above these corridors. Development that integrates with the Bowen Hills Railway Station must provide substantial improvements to the station itself, station access and the station's interface with the public realm.

Development may experience a reduced level of amenity due to emissions (e.g. vibration, noise, light and odour) from the transport infrastructure within in the zone, including the ICB, rail lines, Clem Jones Tunnel (including ventilation outlet), Airport Link and arterial roads. Development that would be sensitive to these impacts is designed, sited and constructed to achieve acceptable levels of amenity.

2.6.9 Specialised centre (entertainment) zone

2.6.9.1 Preferred development intent

Development supports the use of the Old Museum and Brisbane Showgrounds, providing areas and large-format facilities for library, museum or gallery, exhibition, festival, concert, conference, showground, public or community group gatherings, indoor and outdoor sport and recreation, private functions, trade exhibitions and displays, plus ancillary office, catering, light refreshments and sale of merchandise.

Other uses that complement the core functions of the Old Museum and Brisbane Showgrounds, including short term accommodation, shop (not exceeding 250m² GFA), food and drink outlet, office, health care services or telecommunications facility, may also be accommodated.

Development builds upon the long standing historic role of the Old Museum and the Brisbane Showgrounds in their contribution to the overall character and identity of Bowen Hills.

Outside the times of year that the Royal Brisbane Show operates, the temporary use of the Brisbane Showgrounds is encouraged, including temporary exhibition spaces and car parking for Royal Brisbane and Women's Hospital employees.

Development provides enhanced pedestrian permeability through the sites acting as a connector between surrounding development and the Royal Brisbane and Women's Hospital, the Exhibition Railway Station and Fortitude Valley.

The heritage values of individual sites and the zone as a whole are protected and enhanced. Important views and vistas to and from the Old Museum and Brisbane Showgrounds will be maintained.

2.6.9.2 Built form

| Maximum height provisions | 5 storeys |
|---------------------------|--|
| Scale and bulk | Development: |
| | ensures that all buildings, structures and ancillary facilities support the preferred development intent of the zone and are compatible in scale, bulk, design and character with the surrounding area |
| | ii. is strategically and logically located on site incorporating a range of heights and materials that are highly characteristic of the site's location and identity, and |
| | iii. improves aesthetics and local amenity of the surrounding public realm. |

2.6.9.3 Urban design

| iioioio Orban acoign | 1 |
|----------------------------------|--|
| Building elements and appearance | Development retains or adapts the heritage, character, cultural features and history of the site and surrounding area. New buildings and works adjacent to retained and adapted heritage buildings, spaces and elements will have an appropriate interface respecting their heritage significance. |
| RO | Where the Brisbane Showgrounds interface with the Old Queensland Museum the detailed design of the buildings and works will create a positive visual and functional relationship. |
| | Development maintains the presence, legibility and sense of entry to the Brisbane Showgrounds. |
| | Development promotes safety and minimises opportunities for graffiti and vandalism through exterior building design, orientation of buildings and the use of active frontages. |
| | Development provides outdoor lighting which is in compliance with: |
| | i. AS 4282-1997 Control of the obtrusive effects of outdoor lighting |
| | ii. AS 2560-2007 Sports lighting Part 2.3: Specific applications—Lighting for |

football (all codes), and

| iii. AS/NZS 1158 Set: 2010 Lighting for roads and public spaces. | | |
|---|--|--|
| The built form is supported by legible and permeable circulation networks which build and enhance the existing patterns and fabric of the site, including the EKKA walk which meanders through the site as the primary pedestrian circulation route. | | |
| Development does not impose unreasonable adverse amenity impacts on the surrounding residential area in terms of its location of buildings, vehicle access areas, lighting or operational matters. | | |
| Development ensures that the views and vistas of important places, spaces and buildings are retained and enhanced. | | |
| Existing on-site vegetation (trees) is retained. | | |
| Development provides on-site landscape and shade trees and vertical greenery provides shading and local cooling, contributes to the area's streetscape and creates opportunities for relaxation and recreation. | | |
| Development must contribute to a vibrant and safe public realm by activating the street at the ground level for extended hours of the day, where possible. This is particularly important during those times of the year when the annual EKKA event does not operate. | | |
| Streetscape treatments facilitate pedestrian and cycle amenity and safety. | | |
| Development facilitates passive surveillance and provides good sightlines to publicl accessible areas such as car parks, pathways, public toilets and communal areas. | | |
| Development provides good pedestrian linkages throughout the Brisbane Showgrounds. | | |
| Development includes way-finding cues and minimises predictable routes and entrapment locations near public spaces. | | |
| Development promotes legible active pedestrian entrances, minimising the number and size of vehicle access points and using appropriate street treatments. | | |
| | | |
| | | |

2.6.10 Levels of assessment for zones

The following levels of assessment apply to all development within the PDA.

Table 2: Levels of assessment

| Exempt development - All PDA Zones | |
|--|---|
| | |
| All development specified in Schedule 2. | Column 2 DDA coccochie develonment |
| Column 1 - Self-assessable development | Column 2 – PDA assessable development Column 2A - Permissible development Column 2B - Prohibited development |
| All PDA zones | |
| Material change of use for a home-based business if complying with all acceptable outcomes in Brisbane City Council's home-based business code. | All development (other than development specified as Exempt development or Prohibited development) carried out on a extractive industry |
| Material change of use, where a change of an existing premise, for an appropriate use listed for a zone, where: | Prohibited development) carried out on a heritage place, or a premises adjoining a heritage place • extractive industry • high impact industry • relocatable home park |
| not involving building work (other than minor building or demolition work) | special industry |
| not on or adjoining a heritage place, and | All other development not specified as PDA Exempt development, PDA self-assessable • tourist park |
| not a sensitive use located on property that is identified on: | development or PDA assessable |
| ∘Brisbane City Plan Waterways corridor overlay map | development - Prohibited development. |
| ∘ Brisbane City Plan Coastal hazard overlay map | |
| Brisbane City Plan Flood overlay map | |
| Brisbane City Plan Industrial amenity overlay map, or | |
| | |
| o Map 5 Point source pollutants. | October OD Deskibited describer |
| Column 1 - Self-assessable development Medium density residential zone | Column 2B - Prohibited development |
| Appropriate uses: | In addition to Prohibited development in all PDA zones, a material change of us |
| caretaker's accommodation | for: |
| community facilities | adult store |
| community residence | low impact industry |
| dual occupancy dualling bases | medium impact industry |
| dwelling housemultiple dwelling | shopping centre |
| retirement facility | • showroom |
| rooming accommodation | transport depotwarehouse |
| short-term accommodation | • warerlouse |
| High density residential zone | |
| Appropriate uses: • caretaker's accommodation | In addition to Prohibited development in all PDA zones, a material change of us for: |
| community facilities | |
| community residence | adult store |
| dual occupancy | low impact industrymedium impact industry |
| dwelling house | shopping centre |
| multiple dwelling retirement for illity. | • showroom |
| retirement facilityrooming accommodation | transport depot |
| short-term accommodation | warehouse |
| Mixed use zone | |
| Appropriate uses: • caretaker's accommodation | In addition to Prohibited development in all PDA zones, a material change of us for: |
| community residence | |
| dual occupancy | medium impact industry |
| dwelling house | transport depotwarehouse |
| • food and drink outlet where located at ground level and not exceeding 250m ² | - Wardhouse |
| of GFA per tenancy | |
| indoor sport and recreationmultiple dwelling | |
| • office | |
| retirement facility | |
| research and technology industry where located at ground level and not exceeding 250m² of GFA per tenancy | |
| • rooming accommodation | |
| service industry not exceeding 250m² of GFA per tenancy shop where located at ground level and not exceeding 250m² of GFA per | |
| tenancy | |
| short-term accommodation | |
| Industrial zone | |
| Appropriate uses: | In addition to prohibited development in all PDA zones, a material change of us |
| food and drink outlet where located at ground level and not exceeding 250m² of GFA per tenancy | for: |
| low impact industry and service industry | accommodation activities |
| • office | • child care centre |
| research and technology industry | • shopping centre (>500m²) |
| shop where located at ground level and not exceeding 250m² of GFA per tenancy showroom | |
| warehouse | |

 $^{^{48}}$ Except for fuel burning for pow er generation with an installed capacity of more than 0.1 MW, if:

warehouse


i. less than 10 MW, and

ii. not involving coal combustion.

| Column 1 - Self-assessable development | Column 2B - Prohibited development |
|---|--|
| Mixed industry and business zone | · |
| Appropriate uses: • food and drink outlet where located at ground level and not exceeding 250m² of GFA per tenancy • low impact industry • office • research and technology industry • service industry • shop where located at ground level and not exceeding 250m² of GFA per tenancy • showroom | In addition to prohibited development in all PDA zones, a material change of use for: • accommodation activities except: • caretakers accommodation (<70m²) • dwelling unit (<70m²) • short term accommodation • shopping centre (>500m²) |
| • warehouse | |
| Appropriate uses: Club Community use Indoor sport and recreation Outdoor sport and recreation Park where not provided by public sector entity shop where located at ground level and not exceeding 250m² of GFA per tenancy | In addition to prohibited development in all PDA zones, a material change of use for: • adult store • accommodation activities • low impact industry • medium impact industry • shopping centre (>500m²) • showroom • transport depot |
| Open space zone | warehouse |
| Appropriate uses: club community use park where not provided by public sector entity | In addition to prohibited development in all PDA zones, a material change of use for: accommodation activities business activities low impact industry medium impact industry transport depot |
| Special purpose (transport) zone | warehouse |
| Nil | In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for: In addition to prohibited development in all PDA zones, a material change of use for the u |
| Specialised centre (entertainment) zone | |
| Appropriate uses: community use indoor sport and recreation office outdoor sport and recreation park where not provided by public sector entity shop where located at ground level and not exceeding 250m² of GFA per tenancy | In addition to prohibited development in all PDA zones, a material change of use for: • shopping centre (>500m²) • medium impact industry • warehouse |

2.7 Precinct provisions

Select land in the Bowen Hills PDA is included in a precinct. The boundaries of precincts are shown on Map 7. As applicable, development is required to meet and will be assessed against the provisions for each precinct as detailed below. Precinct provisions prevail where there is a conflict with a Zone provision.




2.7.1 Precinct 1

Planned outcomes for Precinct 1 are shown on map 8 and detailed below. Precinct 1 includes all land located in the area bound by Abbotsford Road, Markwell Street, St Pauls Terrace, Brookes Street, O'Connell Terrace, Tufton Street and the Inner City Bypass.

| Preferred development | Development incorporates active frontages along Mayne Road and Hudd Street delivering a mix of retail, commercial and community uses along the ground plane. | | | |
|-----------------------|--|--|--|--|
| intent | Development adjoining the Bowen Hills Railway Station provides new access points and improved connectivity and integration with the station. | | | |
| Built form | Shop frontages, articulated building access points and continuous awnings over the footpath activate the ground plane of Hudd Street and Mayne Road, which form major activity spines and become the focus of retail shopping and social life. | | | |
| | Showroom windows address the northern side of the Airport Link ramp to Campbell Street presenting the retail character of the area to passing vehicles. | | | |
| | Large floor plate retail is sleeved by small scale (i.e. less than 250m ²) shops, food and drink outlets, community uses and other similar uses, which will activate the precinct day and night. | | | |
| | development, pu | le to span across the railway corridor creating opportunities for additional ablic plazas and a new access to the Bowen Hills Railway Station. Any hin, over or under a rail station or corridor must protect the station and n and operation. | | |
| Urban design | pavement treatmare established a | scape treatments including awnings over wide footpaths, street furniture, nents, parallel on-street parking, public art installations and landscaped verges along Mayne Road and Hudd Street, contributing to their setting as community cal points for the PDA. | | |
| | Landscaped verges, street furniture, public art installations and pavement treatments are established at Streetscape treatment locations identified on map 8. | | | |
| | Retail tenancies have a visible presence and interaction with the street and open on to the park at the intersection of Mayne Road and Hudd Street. | | | |
| | Parks are developed as attractive community focal points with spaces and facilities for recreation, pathways, landscape and park furniture. | | | |
| | | lding and landscape design contributes to the identification of Bowen Hills as a on at Significant corner locations. | | |
| Infrastructure | plazas | A new park is located on the southern side of the Mayne Road and Hudd Stree intersection. The park collocates with activated retail frontages, cycling routes and streetscape treatments along Mayne Road and Hudd Street. | | |
| | | Parks are located at Jeays Street and Hurworth Street. | | |
| PU | | A major new civic plaza west of Mayne Road will deliver a multi-purpose community and cultural hub providing space for social interaction, community and group activities, information, art and cultural activities and events. | | |
| | | Development provides a multi-purpose community hub within proximity of the Bowen Hills Railway Station. | | |
| | | Community facilities are provided as an integrated component of mixed-use developments. | | |
| | | Community facilities are accessed directly from street frontages and are clearly signed and identifiable to visitors. | | |

| Connectivity | Development provides a publicly accessible: |
|--------------|---|
| | i. pedestrian connection between Brookes Street and the Jeays Street park |
| | ii. pedestrian connection between Mayne Road and the Tufton Street extension |
| | iii. pedestrian connection between Hudd Street and Edgar Street, and |
| | iv. pedestrian connection between Mayne Road and Edgar Street. |
| | The precinct will accommodate a new local street network which will include: |
| | i. widening of Mayne Road (western side) to accommodate vehicular and cycle traffic |
| | ii. widening of Hudd Street (southern side) to accommodate vehicular traffic |
| | iii. a two way vehicle and pedestrian bridge spanning the railway corridor between Hudd Street and Abbotsford Road, providing improved connectivity across the railway corridor |
| | iv. a new street linking Hudd Street and Mayne Road through to O'Connell Terrace, via Tufton Street. This street will be a principal means of access into the precinct from the area south of Campbell Street |
| | v. Hazelmount Street extended through to Hudd Street |
| | vi. Edgar Street extended through to Mayne Road |
| | vii. Closure of Jamison Street between Hudd Street and Edgar Street 49, and |
| | viii. cycle infrastructure that provides safe and efficient cycle connection through the precinct. |
| Public | Development is coordinated to provide: |
| transport | i. pedestrian concourse delivering safe and improved access to the Bowen Hills Railway Station between Hudd Street and Abbotsford Road |
| | ii. upgrades to the Bowen Hills Railway Station including improved platform access and potential corridor widening, and |
| - | iii. a rail and bus interchange is located adjacent to the Bowen Hills Railway Station on Abbotsford Road. |
| 31/0 | |
| | |

⁴⁹ The closure of Jamison Street will occur, fully or in part, when the bridge spanning the railway corridor between Hudd Street and Abbotsford Road is constructed. This closure occurs due to a difference in road levels when the bridge is constructed, resulting in Jamison Street no longer being connected to Hudd Street.



2.7.2 Precinct 2


Planned outcomes for Precinct 2 are shown on map 9 and detailed below. Precinct 2 includes all land located in the area bound by O'Connell Terrace, Brookes Street, St Pauls Terrace, Costin Street, Water Street and Bowen Bridge Road.

| Preferred development | Development of active frontages along the ground plane of King Street, O'Connell Terrace and Brookes Street delivers a mix of retail, commercial and community uses. | | | |
|-----------------------|---|--|--|--|
| intent Built form | Shop frontages, articulated building access points and continuous awnings over the foot activates the ground plane of King Street, O'Connell Terrace and Brookes Street. | | | |
| | Large floor plat | e retail is sleeved by small scale (i.e. less than 250m ²) shops, food and drink unity uses and other similar uses, which will activate the precinct day and night. | | |
| | | adjoining Bowen Park and the Old Queensland Museum must respect their and be designed and oriented to enhance their amenity, safety, activation and | | |
| | Old Museum s | ling heights can be considered for new buildings on the northern boundary of the ite, where being developed as part of an overarching rehabilitation and renewal ritage place by the state, or an entity acting for the state. | | |
| | Development along O'Connell Terrace, Brookes Street and Exhibition Street must address both street frontages and publicly accessibly spaces within the Brisbane Showgrounds. | | | |
| | Innovative building design contributes to the identification of Bowen Hills at major entrance points to the precinct, including at the southern side of the intersection of Brunswick Street and Gregory Terrace and the intersection of Brookes Street and O'Connell Terrace. | | | |
| | Development along the southern side of O'Connell Terrace provides a 4m setback on the ground floor to provide space for pedestrian movement, outdoor dining, retail display and embellishments such as landscape treatment and public art installations which improve amenity and activate the ground plane. | | | |
| Urban design | Attractive streetscape treatments including awnings over wide footpaths, street furniture, pavement treatments, parallel on-street parking, public art installations, landscaped verges established along King Street and O'Connell Terrace contributing to their setting as communant economic focal points. | | | |
| | rges, street furniture, public art installations and pavement treatments are Streetscape treatment locations identified on map 9. | | | |
| | | uilding and landscape design contributes to the identification of Bowen Hills as a tion at significant corner locations. | | |
| Infrastructure | Parks and plazas | Open spaces located within the Brisbane Showgrounds are publicly accessible during non-event periods. | | |
| | | Civic plazas provide space for social interaction, community and group activities, information, art and cultural activities and events at: | | |
| | Ø. | i. the Brisbane Showgrounds between the Exhibition Railway Station and Gregory Terrace, and | | |
| | | ii. between Diggles Close and Bowen Bridge Road. | | |

Connectivity Development provides publicly accessible pedestrian and cycling connections: through the Brisbane Showgrounds between O'Connell Terrace and **Gregory Terrace** between King street and Alexandria Street iii. between Anderson Street and Costin Street iv. between Water Street and Gregory Terrace, and v. between Diggles Close and Bowen Bridge Road. The precinct will accommodate key upgrades to the street network as follows: widening of O'Connell Terrace to accommodate two lanes of vehicular traffic and separated cycle way, and ii. widening of Brookes Street to accommodate upgraded footpaths, separated cycle way. New controlled intersections at: Tufton Street and O'Connell Terrace, and King Street and St Pauls Terrace. Public Upgrades to the Exhibition Railway Station and associated railway corridor are transport delivered as part of the Cross River Rail project. Access to Exhibition Railway Station will be clearly signed and identifiable to visitors on O'Connell Terrace, Gregory Terrace, Brookes Street and Bowen Bridge Road. A rail and bus interchange is located adjacent to the Exhibition Railway Station access point on O'Connell Terrace.

for pedestrian movements to the Old Museum.

Upgrades to the Exhibition Railway Station include improved platform access



3 Infrastructure plan

3.1 Purpose

The purpose of this Infrastructure plan is to ensure that the vision is achieved through:

- i. integrating infrastructure planning with land use planning identified in this development scheme
- ii. identifying the infrastructure requirements to be delivered by the local government, state government, water supply and sewer provider or developers, and
- iii. providing a basis for imposing conditions on development approvals responding to the increased demand on the relevant infrastructure networks.

3.2 Infrastructure networks

The following infrastructure networks require additional infrastructure provision or upgrades to support growth in the PDA:

- i. transport (roads, intersections, pedestrian and cycle paths)
- ii. public realm
- iii. community facilities
- iv. stormwater (quantity and quality)
- v. water supply
- vi. sewerage.

Table 3 below identifies key infrastructure that will be provided to enable the Vision to be delivered.

3.3 Infrastructure categories

The infrastructure planned to be delivered within the PDA will fall into one of the following categories:

- i. trunk infrastructure
- ii. non-trunk infrastructure
- iii. other infrastructure.

Table 3 includes infrastructure which is trunk infrastructure, non-trunk infrastructure and other infrastructure. As such, the inclusion of infrastructure in table 3 does not make it eligible for an infrastructure charges offset. To determine if infrastructure is eligible for an offset, refer to the Development Charges and Offset Plan (DCOP).

3.3.1 Trunk infrastructure

Trunk infrastructure is the high order shared infrastructure that is planned to service the wider catchments in the PDA, rather than individual development sites. Trunk infrastructure may be delivered by the relevant infrastructure provider such as Brisbane City Council, Queensland Urban Utilities (QUU) or EDQ, or by developers if required by a condition of a PDA development approval.

3.3.2 Non-trunk infrastructure

Non-trunk infrastructure is the lower order infrastructure which generally services a single development site, is internal to a development site, or connects the development site to trunk infrastructure.

Non-trunk infrastructure will be provided by the applicant, in accordance with the relevant responsible entity's requirements and as specified in a condition of a PDA development approval. Non-trunk infrastructure will not be eligible for a charges offset.

3.3.3 Other infrastructure

Other infrastructure includes infrastructure which is not part of Brisbane City Council or QUU's infrastructure networks. Other infrastructure may include necessary development infrastructure or provision for upgrades to the electricity, gas, telecommunications or state transport networks.

Other infrastructure may be delivered by the local or state government, other infrastructure providers or by developers who may be required to deliver or preserve the ability to provide this infrastructure by a condition of a PDA development approval.

Table 3: Infrastructure catalogue for the Bowen Hills PDA

| Infrastructure | Details |
|----------------|--|
| category | |
| Transport | |
| category | As required to service the PDA and may include upgrades to: Abbotsford Road – widening and street improvements Brookes Street – street improvements and active transport improvements Brookes Street, Hamilton Place and O'Connell Terrace – intersection works Burrows Street – street improvements and active transport improvements Campbell Street – street improvements Campbell Street and Hazelmount Street – intersection works Campbell Street and Hurworth Street – intersection works Carriage Way – street improvement Edgar Street – Edgar Street extended through to Mayne Road Edmonstone Road – street improvements and active transport improvements Exhibition Street – street improvements Hamilton Place – street improvements and active transport improvements Hazelmount Street - street improvements and extension of street to Hudd Street Tufton Street – street improvements and active transport infrastructure New Street – new street linking Hudd Street and Mayne Road through to O'Connell Terrace, via Tufton Street Hudd Street – street improvements |
| PUB | Machinery Street – new street Mayne Road – street improvements and active transport improvements Mayne Road and Edgar Street – intersection works O'Connell Terrace – street improvements and active transport improvements Thompson Street – street improvements and active transport improvements Thompson Street and Murray Street – intersection works Thompson Street and Edmonstone Road – intersection works Gregory Terrace and Brookes Street – intersection works St Pauls Terrace and Constance Street – intersection works O'Connell Terrace, Brookes Street and Hamilton Place – intersection works King Street and St Pauls Terrace – intersection works Costin Street and Gregory Terrace – intersection works Costin Street – street improvements Gregory Terrace – street improvements St Pauls Terrace – street improvements. In addition to the items listed above, all other streets in the Bowen Hills PDA may require upgrades, improvements or widening to deliver the carriageway, parking or verge width specifications for its functional design. |

| Infrastructure | Details | | |
|------------------------------------|--|--|--|
| category Public transport | As required to service the PDA and may include: | | |
| | | | |
| | | | |
| | upgrades to the Bowen Hills Railway Station including improved platform access, potential corridor widening and pedestrian concourse delivering safe and | | |
| | improved access to the Bowen Hills Railway Station between Hudd Street and | | |
| | Abbotsford Road | | |
| | upgrades to the Exhibition Railway Station and associated railway corridor | | |
| | delivered as part of the Cross River Rail project | | |
| | a new rail and bus interchange to service the Exhibition Railway Station | | |
| | a new rail and bus interchange on Abbotsford Road to service the Bowen Hills | | |
| | Railway Station. | | |
| Parks, public realm an | • | | |
| Parks | As required to manage the impacts of development within the PDA and may include: | | |
| | Jeays Street Park improvements | | |
| | Perry Park improvements | | |
| | Hurworth Street Park improvements | | |
| | Alexandria Street Park improvements | | |
| | a new park on Mayne Road. | | |
| Public realm | As required to manage the impacts of development within the PDA and may include: | | |
| | streetscape improvements on Hudd Street | | |
| | streetscape improvements on Mayne Road | | |
| | streetscape treatments on O'Connell Terrace | | |
| | landscape and pavement treatments on Gregory Terrace. | | |
| Community facilities | As required to manage the impacts of development within the PDA and may include: | | |
| • | a branch library | | |
| | a civic plaza adjacent to the railway corridor near the Bowen Hills Railway | | |
| | Station State of the family serious floar the Benefit fills family | | |
| | a multi-purpose community hub. | | |
| Stormwater | | | |
| Detention and | As required to manage the impacts of the PDA. | | |
| treatment | | | |
| Water supply and sewer | As required to service the PDA and may include augmentations to: | | |
| 1 otable water | internal water supply reticulation | | |
| | • main at Campbell Street | | |
| | main at Montpelier Road | | |
| | main at Jordan Terrace | | |
| (2) | main at Herston Road | | |
| | main at Gregory Terrace. | | |
| Sewer | As required to service the PDA and may include augmentations to: | | |
| | Bowen Hills by-pass – main to by-pass upstream flows to the S1 tunnel | | |
| | gravity main at Brookes Street | | |
| | gravity main at St Pauls Terrace between Brookes Street and King Street | | |
| | gravity main at Markwell Street | | |
| | local trunk sewer to connect to the Best Street odour facility and S1 tunnel | | |
| | (Markwell Street catchment) | | |
| | gravity main at Water Street | | |
| Electricity and | gravity main at Thompson Street. | | |
| Electricity and Electrical network | As required to service the PDA. | | |
| Telecommunications | The required to composition on the | | |
| Telecommunications | As required to service the PDA. | | |
| network | 60 | | |

3.4 Infrastructure charges, funding and conditions

Trunk infrastructure identified as necessary to service the PDA is included in the DCOP which sets out the following:

- i. development charges for the provision of trunk infrastructure
- ii. trunk infrastructure plans and schedules of works identifying trunk infrastructure for which an offset against infrastructure charges shall be available, and
- iii. matters relevant to calculating an offset or refund for the provision of trunk infrastructure.

The requirement to pay development charges set out in the DCOP, or to deliver the trunk infrastructure identified in the DCOP, will be through a condition of a PDA development approval. Infrastructure may be required to be delivered in accordance with a detailed Infrastructure Master Plan that is prepared to support a development application or required by condition.

The infrastructure identified in table 3 will be funded from a combination of development charges and other revenue sources. State infrastructure funding may be provided through Federal Government grants. State expenditure on trunk infrastructure will be subject to consideration through normal state budgetary processes and will be part of an approved state agency capital works program.

Not all the works identified in table 3 will be delivered through conditions of approval. Some infrastructure may be delivered by other entities such as local government, state government or other infrastructure providers.

The infrastructure identified in table 3 reflect current understanding at the time of publication. However, further detailed infrastructure investigations will occur as development progresses. Infrastructure requirements and delivery responsibilities will be reviewed and may be amended over time to reflect the outcomes of these investigations and changing circumstances.

Infrastructure requirements established in the conditions of a PDA development approval must be delivered at the time of development occurring unless otherwise agreed with EDQ.

3.5 Infrastructure agreements

An infrastructure agreement may be negotiated and entered into with MEDQ and other relevant infrastructure providers to address the provisions and requirements of the infrastructure plan.

To the extent an infrastructure agreement is inconsistent with a PDA development approval, the infrastructure agreement prevails⁵⁰.

3.6 Infrastructure standards

Infrastructure will be delivered in accordance with the standards of EDQ or the applicable local or state government, or relevant infrastructure providers at the time a PDA development application or Infrastructure Master Plan is approved.

⁵⁰ See section 120 of the Act.

4 Implementation strategy

The Act⁵¹ requires a development scheme to include an implementation strategy to 'achieve the main purposes of the Act for this area, to the extent that they are not achieved by the Land use plan or the plan for infrastructure'.

The Implementation strategy for the development scheme fulfils this requirement by identifying a suite of actions that support the achievement of the Vision and support the delivery of economic development and development for community purposes within the PDA.

The Implementation strategy includes projects and actions that may require involvement from a range of stakeholders including private interests and departments from across various levels of government.

4.1 Urban design and public realm

Objective

Oversee the design, form, type and arrangement of buildings, streets and the public realm to enhance the appearance and contribute to the creation of place.

Actions

- i. Development assessment process develop and operate a virtual 3D analytical model of the Bowen Hills PDA including detailed representations of existing and approved built form. In consultation with applicants, the assessment manager may request the provision of a 3D model in a specified compatible format which can be used to assist in the assessment and communication of proposals. Specific analytics could include built form impacts upon building separations, privacy, view sheds, overshadowing and Crime Prevention through Environmental Design.
- ii. Design Review Panel utilise members of the Design Review Panel during the pre-application and assessment processes to provide assessment managers and applicants independent third party expert landscape, architecture and urban design advice.
- iii. Public realm EDQ will seek to establish partnerships with Brisbane City Council and developers to establish and deliver a programme of public realm upgrades at identified streetscape treatment locations identified on maps 8 and 9.

4.2 Connectivity

Objective

Facilitate the delivery of streets, pathways and public spaces in Bowen Hills which provide permeability and connectivity to destinations within and surrounding the PDA.

Actions

- i. Infrastructure planning ensure that the opportunity for the PDA to host a Cross River Rail or alternate subway system station is not compromised in the development of the area.
- ii. Infrastructure delivery EDQ will seek to establish partnerships with Brisbane City Council to facilitate the timely delivery of planned street, pedestrian and cycling infrastructure.

⁵¹ See section 57 of the Act.

- iii. Infrastructure delivery work with the Department of Transport and Main Roads, Translink and Queensland Rail to facilitate the timely delivery of planned public transport infrastructure and services.
- iv. Development assessment process where necessary, land required for infrastructure will be secured through conditions of approval.

4.3 Housing diversity

Objective

Facilitate the delivery of a broad range of accommodation choices to suit a variety of households that support a socially diverse community in the Bowen Hills PDA.

Facilitate the delivery of housing that provides universal design and variety in size, configuration, cost, adaptability and tenure.

Actions

- i. Information EDQ will develop, manage, monitor and report on a database of existing, approved and proposed dwellings within the Bowen Hills PDA. The database will hold information on the number of dwellings and number of bedrooms that profile existing housing and future pipeline supply. This information should be used by government, the development industry and the community to inform decisions which may lead to greater housing diversity.
- ii. Incentives examine options that incentivise the delivery of social housing, community housing, affordable housing, innovative housing concepts and 3+ bedroom dwellings.
- iii. Affordable housing EDQ is seeking to maximise affordable housing outcomes in the PDA over the long term. Affordable housing product delivered through a PDA development approval can be supported with mechanisms to ensure product is not resold at market rates and it remains affordable rental product to the target group for a significant period of time. There are a number of ways of achieving this outcome:
 - Formal agreements may be made with either the Department of Housing and Public Works or a registered community housing organisation.
 - Establishment of a shared equity arrangement with an approved equity partner.
 - Limiting the trading of a dwelling to a particular target and income group through a title
 covenant. This means that affordable owner occupied units are only on-sold to other eligible
 buyers, with transfer of ownership occurring through a controlled process which excludes
 wills, private sales or bequests.
 - Placing a covenant and management plan on the title of a property which ensures it is rented
 at affordable levels of rent to an identified target group for 15 years or more and managed by
 a registered community housing organisation.
 - The preferred mechanism will be determined on a project by project basis between EDQ and the development proponent at the time of development approval and will be set out in the development agreement.

4.4 Sustainability

Objective

Support the quality, diversity and productivity of social, ecological and economic systems in the Bowen Hills PDA.

Actions

- Land management oversee the transfer of land along Breakfast Creek that is mapped within a Local waterway corridor under Brisbane City Plan to Brisbane City Council.
- ii. Infrastructure Delivery facilitate the delivery of community facilities identified in the DCOP that will provide spaces for residents and visitors to meet, access services and participate in social and cultural activities.
- iii. Infrastructure Delivery facilitate the delivery of infrastructure identified in the DCOP that will support future private sector investment in property development and business enterprise.
- iv. Service delivery maintain working relationships with service providers to identify and, where possible, support the delivery of projects and programs that cater to community needs.
- v. Electric vehicles development provides parking spaces and facilities to support the charging of electric vehicles. This can include providing wiring dedicated AC circuits to parking spaces during construction and terminating with a standard General Purpose Outlet which can be readily replaced with a dedicated electric vehicle charger at a later date.
- vi. Expenditure EDQ to utilise funds collected from the uplift of land value component on projects within the PDA that support ecological sustainability.
- vii. Information establishment of a close working relationship with tertiary institutions and private industry to identify projects demonstrating ecological sustainable outcomes to be instituted in the PDA.
- viii. Information documentation and promotion of examples of ecological sustainability developed within the PDA.
- ix. Information preparation of additional guidelines to promote and facilitate incorporation of ecological sustainable principles in projects within the PDA.
- x. Incentives the development industry is encouraged to better the land use plan's provisions and obtain an exemption from the payment of the component of the uplift of land value identified to be applied to ecological sustainability.
- xi. Sustainable buildings compliance with the Star rating (or equivalent rating system) criteria will generally be demonstrated by a Design certified rating to be provided at the time of assessment and an As Built certified rating to be provided upon completion as a condition of development.

4.5 Infrastructure planning and delivery

Objective

Facilitate the delivery of all necessary urban infrastructures required to support ongoing community growth and development.

Actions

- i. Infrastructure delivery EDQ will seek to form partnerships with other state government entities, Brisbane City Council, Queensland Urban Utilities and Energex to invest in the delivery of state and trunk infrastructure network items where they are required to facilitate ongoing investment and economic development in the PDA.
- ii. Infrastructure delivery Energex to be notified of any works occurring within an electricity easement.

- iii. Financing trunk infrastructure will be financed through the collection of infrastructure charges. Investment facilitating the delivery of trunk infrastructure may be subject to coordinated decisions across private interests and various levels of government. The prioritisation and feasibility of trunk infrastructure delivery will be determined on a case-by-case basis at the time they are proposed for commencement.
- iv. Partnerships Community Hubs and Partnerships, Department of State Development, Manufacturing, Infrastructure and Planning to facilitate collaboration across agencies to analyse requirements for comprehensive social services provision in the PDA and surrounding networks to identify opportunities for innovation, co-location and integration of state and local government community facilities. A whole-of-life approach to social service provision, encompassing health, education, child and family and sport and recreation services will be taken to contribute to the vision for the PDA and the development of an engaged, healthy and active community.

4.6 Conservation and adaptive re-use of heritage buildings and places

Objective

The adaptive re-use of heritage places within the PDA will continue to promote the rich history and unique identity of Bowen Hills.

Actions

- i. Respond to the cultural significance of the place in accordance with the principles of the Burra Charter⁵² and Department of Environment and Science *Guideline: Developing Heritage Places*.
- ii. Implement conservation management plans to manage the construction and operational impacts on heritage places, and to provide guidance for their ongoing care and maintenance ⁵³.
- iii. EDQ will consult with the Department of Environment and Science and the Queensland Heritage Council to obtain advice regarding all significant heritage matters for development on or adjacent to State heritage places.
- iv. EDQ will consult with Brisbane City Council to obtain advice regarding all significant heritage matters for development on or adjacent to local heritage places.
- v. Ensure Department of Environment and Science are notified of any archaeological artefacts discovered during site works and relevant requirements are met in accordance with the provisions of the *Queensland Heritage Act 1992*.
- vi. In those circumstances where approval is given to remove or demolish part of a heritage place, it is to be appropriately documented prior to removal or demolition and submitted to the assessment manager⁵⁴.
- vii. Conservation, revitalisation and adaptive re-use of the Old Museum may involve new development on the site and adjacent rail corridor by the state. New development will form part of an overarching strategy to rehabilitate and re-use the Old Museum through innovative site design which delivers improved pedestrian permeability and integration with the Brisbane Showgrounds and Exhibition Railway Station.

65

⁵² The Australian International Council on Monuments and Sites Burra Charter: The Australia ICOMOS Charter for Places of Cultural Significance 1999 document as amended and replaced from time to time.

⁵³ Development demonstrates practical conformance with the requirements, standards and guidance identified in the Department of Environment and Science Guideline: Conservation Management Plans document, as amended and replaced from time to time. A conservation management plan may be required as a condition of a PDA development approval.

⁵⁴ Refer to the Department of Environment and Science guideline about archival recording available at http://www.ehp.qld.gov.au/assets/documents/land/heritage/archival-recording-heritage-places.pdf.

5 Schedules

Schedule 1: Definitions

Unless defined below or in the *Economic Development Act 2012*, activity groups, use and administrative definitions from the Brisbane City Plan apply to all development in the Bowen Hills PDA.

Affordable housing

Housing that is appropriate to the needs of households with low to moderate incomes. A guide to what EDQ considers to be affordable housing is available in EDQ Guideline 16.

Brisbane City Plan

Means the Brisbane City Council Planning Scheme 2014, as amended and replaced from time to time.

Community housing

Community housing is a form of social housing assistance, delivered by community organisations and local governments and funded by the State under the *Housing Act 2003*.

Heritage place

Means a place listed on either or both the Queensland Heritage Register or Brisbane City Council Heritage Register, as amended and replaced from time to time.

Interim use

An interim use is a land use that, because of its nature, scale, form or intensity, may not be an appropriate long term use of the land, but may be appropriate for a short or medium term period as the PDA develops.

Public housing

Means housing:

- i. provided by or for, the state or a statutory body representing the state, and
- ii. for short or long term residential use, and
- iii. totally or partly subsidies by the state or a statutory body representing the state.

It includes services provided for residents of the housing, if the services are totally or partly subsidised by the state or a statutory body representing the state.

Significant vegetation

Means all vegetation, except those listed as pest vegetation by state or local government, whether living or dead, including its root zone⁵⁵ that:

- is significant in its ecological value at local, state or national levels
- ii. maintains biodiversity
- iii. preserves natural landforms
- iv. contributes to the character of a landscape
- v. has cultural or historical value, or
- vi. has amenity value.

Known significant vegetation within the Bowen Hills PDA includes:

- i. all vegetation including marine plants along Breakfast / Enoggera Creek
- ii. all trees in Bowen Park

⁵⁵ The zone of the soil and roots described by the vertical projection of the foliage limit of the tree, to the depth of 1m and including buttress roots on and above the soil surface

- iii. all trees in Perry Park
- iv. all trees in the RNA grounds
- v. street trees, and
- vi. all significant landscape trees as defined by Brisbane City Plan.

Social housing

Social housing refers to housing for a residential use, other than crisis accommodation, that is either provided by:

- i. the state as public housing, as defined in the Planning Regulation 2017, or
- J17, or local government) as ii. an entity other than the state (e.g. a not-for-profit organization or local government) as community

Schedule 2: PDA exempt development

Schedule 2 identifies development that is exempt from assessment for the whole PDA.

Building work

Minor building work, where not on a heritage place

Building work associated with an approved or exempt material change of use not on a heritage place.

Building work for demolishing a building or other structure where:

- i. not on a heritage place
- ii. not within 10m of a heritage building on a heritage place.

Material change of use of premises

Making a material change of use of premises for:

- i. Sales office and display home
- ii. Park or Utility installation if provided by a public sector entity, and
- iii. Telecommunications facility if underground cabling for broadband purposes.

Reconfiguring a lot

Reconfiguring a lot involving street widening and truncations required as a condition of PDA development approval.

Operational work

Operational work for filling or excavation (other than on a heritage place):

- i. to a depth of one vertical metre or less from ground level on land to that is not referred to in Brisbane City Plan's Potential and Actual Acid Sulphate Soil Overlay Code, Wetlands Overlay Code and/or Waterway Corridors Overlay Code and where the site is not listed on the Contaminated Land Register or Environmental Management Register, or
- ii. where top dressing to a depth of less than 100 vertical millimetres from ground level on land that is not referred to in Brisbane City Plan's Wetlands Overlay Code and/or Waterway Corridors Overlay Code.

Operational work in accordance with the conditions of a PDA development approval.

Operational work associated with a material change of use that is PDA exempt development.

Operational work associated with the decontamination of land.

Operational work that is clearing of vegetation:

- i. other than Significant vegetation, or
- ii. Significant vegetation where:
 - a. carried out by, or on behalf of Brisbane City Council or a public sector entity where the works being undertaken are authorised under a state law, or
 - b. in accordance with the conditions of a PDA development approval for a material change of use or reconfiguring a lot.

Erecting no more than one (1) satellite dish, where the satellite dish has no dimension greater than 1.8m, other than on a heritage place.

Plumbing or drainage work

Carrying out plumbing or drainage work.

All aspects of development

Development prescribed in Schedule 6 of the *Planning Regulation 2017* other than part 5, section 18 and part 5, section 28.

Development for which a General Exemption Certificate or Exemption Certificate has been issued under the *Queensland Heritage Act 1992*.

All aspects of development including maintenance that are incidental to and necessarily associated with a park carried out by or on behalf of Brisbane City Council.

All aspects of development including maintenance that are incidental to and necessarily associated with the operation of the Royal Queensland Show.

All aspects of development for a utility installation or telecommunications facility of any development required for the purpose of that undertaking by way of:

- i. development of any description at or below the surface of the ground
- ii. the installation of any plant inside a building or the installation or erection within the premises of a generating station of any plant or other structures or erections required in connection with the station
- iii. the installation or erection of an electricity distribution or supply network (and any components of such a network) which operates at voltages up to and including 33 kilovolts, excluding new substations
- iv. the installation or erection of a new electrical transmission line on land on which such a line has already been erected and which is identified as a future line on Plan No: A4H303666-
- v. Powerlink Electricity Network and Plan No: 7775-A4/A-Energex 110kV Feeder Network
- vi. the augmentation of a Powerlink substation identified on Plan No: A4-H-303666-Powerlink Electricity Network and of any Energex substation existing as at the date this clause took effect
- vii. the placing of pipes above the surface of the ground for the supply of water, the installation in a water distribution system of booster stations and meter or switchgear houses any other development not specifically referred to above except where it involves erection of new buildings or reconstruction or alteration of existing buildings that would materially affect their design or external appearance, and
- viii. any other development not specifically referred to above except where it involves erection of new buildings or reconstruction or alteration of existing buildings that would materially affect their design or external appearance.

This exemption does not apply for a utility installation, where it involves:

- i. the erection of new buildings
- ii. power generation plant where burning 100kg or more of fuel an hour
- iii. reconstruction or alteration of existing buildings that would materially affect their design or external appearance
- iv. waste handling, treatment and disposal facility, and
- v. development on a heritage place.

Schedule 3: Transport, access, parking and servicing

Schedule 3 is applicable to all development in the Bowen Hills PDA.

| Parking | Development provides sufficient parking for residents, employees, customers and visitors on site and | | | |
|--|--|--|--|--|
| | does not negatively impact on adjoining sites or the quality and amenity of the streetscape. | | | |
| | All parking is located internally to the site, is preferably located in basements and where basement parking is visible from the street frontage, it is appropriately screened by densely planted landscape. | | | |
| | Vertically integrated parking is sleeved by active uses. | | | |
| | Where parking on a secondary frontage cannot be sleeved with active uses, it must be screened through a combination of innovative architecture and densely planted landscape. | | | |
| | All car parking areas are designed in accordance with the relevant requirements set out in Brisbane City Plan, Transport, Access, Parking and Servicing Planning Scheme Policy. | | | |
| Parking rates | Multiple dwellings provide an average of 1 space per dwelling plus 0.15 visitor parking space per dwelling. | | | |
| | All other development provides car parking consistent with the rates set in Brisbane City Plan, Transport, Access, Parking and Servicing Planning Scheme Policy, as amended and replaced from time to time. | | | |
| Driveways and access | Development provides driveway crossovers and site access that is located and designed in accordance with the relevant requirements set out in Brisbane City Plan, Transport, Access, Parking and Servicing Planning Scheme Policy. | | | |
| Servicing | Storage and refuse areas | | | |
| | Building design and external storage and refuse areas must facilitate the efficient sorting and disposa of waste to maximise recycling opportunities. | | | |
| | Development ensures that all storage and refuse areas: | | | |
| | i. are contained within the building footprint: or ii. not visible from the public realm (appropriately screened with landscape, fencing or similar), and iii. do not impact on the amenity of residents within or adjoining the development. Loading and servicing areas | | | |
| | Development ensures that all loading and servicing areas: | | | |
| | i. are located to the rear or side of the property away from the street frontage | | | |
| | ii. are integrated into the design of the building so that loading occurs internally, where practical iii. are screened with landscape or articulated built form, where visible from the street or from adjoining properties | | | |
| | iv. occur with the vehicle completely contained within the site. No part of the vehicle should extend into the public road reserve | | | |
| ò | V. should be designed to service a range of vehicle types in order to provide for flexibility, and Vi. are of sufficient size and dimensions to avoid the use of car parks for temporary storage of goods. | | | |
| Circulation | Development provides vehicle circulation that is designed in compliance with the relevant requirements set in Brisbane City Plan, Transport, Access, Parking and Servicing Planning Scheme Policy. | | | |
| Pedestrian | Development provides a well-defined entry point for pedestrians that is separated from vehicle entry and access to any dwelling's entrance. | | | |
| | and access to any awening's entrance. | | | |
| permeability Cycle access and parking facilities | Development delivers the cycle parking spaces at the rates set in Brisbane City Plan, Transport, Access, Parking and Servicing Planning Scheme Policy, as amended and replaced from time to time | | | |

Schedule 4: Heritage places

| Map 3 | Heritage place name | Address | State listed | Local listed |
|-------|--|--|--------------|--------------|
| ref. | | | heritage | heritage |
| 1 | Former Exhibition Building | 480 Gregory Terrace, Bowen Hills | ☑ | Ø |
| 2 | Brisbane Exhibition Grounds & Railway Station | 574 Gregory Terrace, Bowen Hills | Ø | Ø |
| 3 | Bowen Park | O'Connell Terrace & Bowen Bridge Road, Bowen Hills | Ø | Ø |
| 4 | Drill Shed, Caretaker's cottage and Orderly room, Water Street | 342 Water Street, Fortitude Valley | Ø | Ø |
| 5 | Jubilee Hotel | 464-468 St Pauls Terrace, Fortitude Valley | Ø | Ø |
| 6 | Waiting shed (Bowen Park) | Bowen Bridge Road between O'Connell St & Herston Road, Bowen Hills | 25 | N |
| 7 | Brisbane Manor Hotel Tourist Private Hotel Motel | 555 Gregory Terrace, Fortitude Valley | | Ø |
| 8 | Sneyd Street Drain | 67 Campbell to Alexandria Street, Street, Bowen Hills | | Ø |
| 9 | Ardrossan Hall | 33 Brookes Street, Bowen Hills | | Ø |
| 10 | KM Smith - former Methodist parsonage | 53 Brookes Street, Bowen Hills | | ☑ |
| 11 | 'Kalmia' | 5 Hamilton Place, Bowen Hills | | Ø |
| 12 | 7 Hamilton PI | 7 Hamilton Place, Bowen Hills | | Ø |
| 13 | 'Kings Lynn' | 37 Jeays Street, Bowen Hills | | Ø |
| 14 | 36 Jeays St | 36 Jeays Street, Bowen Hills | | Ø |
| 15 | 'Wyeverne' | 34 Jeays Street, Bowen Hills | | Ø |
| 16 | 'Pymore' | 19 Mallon Street, Bowen Hills | | Ø |
| 17 | 'Tufton House' | 8 Tufton Street, Bowen Hills | | Ø |
| 18 | 'Abbotsleigh' | 11-13 Abbotsford Road, Bowen Hills | | Ø |
| 19 | 'Abbotsford' | 25 Abbotsford Road, Bowen Hills | | Ø |
| 20 | 'Merindah' | 22 Cintra Road, Bowen Hills | | Ø |
| 21 | Tivoli Theatre | 52 Costin Street, Fortitude Valley | | 56 |

-

⁵⁶ The, Tivoli Theatre at 52 Costin Street, Fortitude Valley is identified on Map 3 as a local heritage place aw aiting listing on the Brisbane Heritage Register.

Schedule 5: Amendments

Amendment 1: 1 April 2010

page 19 - Conduits for future electricity cables are to be installed within all new streets, street widenings and upgrades. page 727 - map 9(a): Precinct 2 building heights

page 31 - As per map 9(a)

page 60 - (vi) State infrastructure funding will be sought through the normal budgetary processes and will be part of approved State agency capital programs

Amendment 2: October 2018

An overall restructure of the development scheme.

Amendments to PDA wide criteria

Restructure and redraft of the PDA zones and Precinct provisions

Redraft of Infrastructure Plan, including reference to DCOP

Redraft of Implementation Strategy

Adoption of Brisbane City Plan definitions

Redraft of Levels of assessment tables

Redraft of exempt development provisions

Adoption of Brisbane City Plan car parking standards.

Revision of development scheme mapping

Industrial zone replaces the Medium impact employment zone.

Merging of into the Mixed use zone, Mixed use centre zone and Mixed use residential zone into a single Mixed use zone.

Introduction of the Mixed industry and business zone on select land in place of Mixed use zone.

Introduction of the Sport and recreation zone, on select land in place of Civic and open space zone.

Open space zone replaces Civic and open space zone.

Special purpose (Transport) zone on select land in place of Complementary land zone, Mixed use zone and Mixed use centre zone.

Introduction of the Specialised centre (entertainment) zone in place of Mixed use zone.

Removal of the Residential very high intensity zone, Mixed use centre zone, Mixed use residential zone, Civic and open space zone and Complementary land zone.

Identification of the Tivoli Theatre, 52 Costin Street, Fortitude Valley is identified on map 3 as a local heritage place awaiting listing on the Brisbane Heritage Register



