SDA approval – conditions

Con	dition 1 – Approved plans and documents	Timing
1.1	Carry out the approved development generally in accordance with	To be maintained at
	the approved plans and documents as referenced in Table 1 (including any amendments marked in red), except insofar as modified by any of the conditions of this approval.	all times

Table 1 – approved plans and documents

Title	Prepared By	Document No	Date
Cover page Rev. 10	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 1	
Site plan	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 2	
Site plan – Swept paths	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 3	
Floor plan	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 4	
Floor plan – details	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 5	
Elevations	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 6	
Workshop plans	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 7	
Lettable Area Plan	McDonald	2023-084-C,	1.08.2023
	Constructions	Drawing No. 8	

Cor	dition 2 – Limit of approval	Timing
2.1	The future HV charging and EV charging spaces must at all times be associated with and subordinate to the approved freight terminal.	

Condition 3 – Commencement of Use						Timing			
3.1	Notify the	Coordinator-General	in	writing	of	the	date	of	Within 30 days of
	commencer	nent of the use.							commencement of
									the use

Con	dition 4 – Infrastructure contributions	Timing
4.1	Pay to Townsville City Council any outstanding charges or expenses applied over the subject land, including infrastructure charges shown on the adopted infrastructure charges notice contained in Enclosure 1 , or as agreed to in writing by Townsville City Council.	Prior to commencement of

Con	dition 5 – 'As constructed' plans	Timing
5.1	Prepare and submit to the Coordinator-General, 'As constructed' plans certified by RPEQ or other independent suitably qualified person. The plans must show that the development has been constructed generally in accordance with the plans referenced in Table 1 of Condition 1.	Prior to commencement of use
	Plans must be submitted in electronic pdf.	

Condition 6 – Inspection	Timing
6.1 Permit the Coordinator-General, or any person authorised Coordinator-General, to inspect any aspect of the develop <i>Note: Note: Where practicable, at least forty-eight (48) hours notic</i> <i>provided.</i>	oment.

Con	dition 7 - Audit	Timing
7.1	Prepare and submit an audit report to the Coordinator-General within 30 business days after the commencement of use.	As indicated
	The audit report must be prepared by a suitably qualified person to determine whether the conditions of this approval have been complied with.	
	An audit report must be prepared by a suitably qualified person to determine whether the conditions of this approval have been complied with.	
	An audit report will contain detail consistent with the information provided in Enclosure 2.	

Con	dition 8 – Complaints	Timing
8.1	Record all complaints received relating to the development in a register that includes, as a minimum:	At all times
	(a) date and time when complaint was received	
	(b) complainant's details including name and contact information	
	(c) reasons for complaint	
	(d) investigations undertaken and conclusions formed	
	(e) actioned taken to resolve this complaint, including the time take to implement these actions	
	(f) include a notation to the register as to the satisfaction (or dissatisfaction) of the complainant with the outcome.	
8.2	Prepare and provide a response to the complainant within 48 hours of receipt of the complaint.	As indicated
8.3	Provide an up to date copy of the register if request by the Coordinator-General.	As indicated
8.4	In the event a complaint is received in relation to odour or air contamination, the developer / operator must engage a suitably qualified consultant to undertake an assessment addressing odour and/or air quality emanating from the site for this use in accordance with the provisions of the <i>Environmental Protection Act 1994</i> .	At all times
	The assessment must be accompanied by a report, inclusive of supporting calculations and site investigations. The report must provide recommendations of odour and air attenuation measures.	
	The developer / operator must provide a copy of the report to Townsville City Council and the Coordinator-General and undertake any works within 3-months of supplying the report.	

AP2023/007 – Townsville SDA – SDA approval Conditions: Material change of use for Freight Terminal

8.5	In the even a complaint is received in relation to noise from the use, the developer / operator must engage a suitably qualified consultant to undertake an assessment addressing noise emanating from the site for this use in accordance with the provisions of the <i>Environmental Protection Act 1994</i> .	At all times
	The assessment must be accompanied by a report, inclusive of supporting calculations and site investigations. The report must provide recommendations of noise mitigation measures.	
	The developer / operator must provide a copy of the report to Townsville City Council and the Coordinator-General and undertake any works within 3-months of supplying the report.	

Con	dition 9 – External details	Timing
9.1	Construct and/or paint external details of buildings and structures	To be maintained
	to reduce visual impact and negate excessive glare in accordance	
	with current best practise.	
9.2	Legible property numbers must be erected at the premise and must	Prior to
	be maintained. The site identification numbers should be of	commencement of
	reflective material, maintained free from foliage and other	use and to be
	obstructions, and be large enough to be read from the street.	maintained

Cond	ition 10 – Safety and crime prevention	Timing
10.1	Install adequate fencing and signage to warn the public of operations and safety hazards.	Prior to commencement of
		use and to be maintained
10.2	Any solid wall or semi permeable fence is protected from graffiti through means of vertical landscaping or vandal resistant paint or artwork.	Prior to

Cond	ition 11 – Vehicle access and parking	Timing
11.1	Unless otherwise agreed to in writing with Townsville City Council, all access driveways and crossovers must be constructed from the existing kerb and channel to the property boundary generally in accordance with the Transport impact, access and parking code of the Townsville City Plan	Prior to commencement of use and to be maintained
	Driveways must achieve clearance to other services in accordance with Townsville City Council standard drawing SD-0131.	
11.2	Design and construct vehicle access, parking internal roadways and manoeuvring for vehicles on site in accordance with the latest amendment of AS2890 and provide:	Prior to commencement of use and to be maintained
	(a) a minimum of 60 car spaces, including 1 disabled space.	
11.3	All parking is to occur on site	At all times

Cond	ition 12 – Services and utilities	Timing
12.1	Obtain the necessary approvals for all required services and utilities (power, potable water, on-site sewer, gas wastewater, communications etc) for both construction and operation.	Prior to commencement of construction and to be maintained
12.2	The development must be serviced by the public sewerage network. In particular, the connection to Council's low pressure sewer system shall be at the boundary connection provided for each lot. Privately owned pressure sewer equipment must be installed and is to generally consist of a suitably sized tank with at least a 24-hour storage capacity, a positive displacement or 2- stage centrifugal grinder pump with minimum 0.45L/s flow rate at 50m pumping head, electrical control/alarms, property discharge lines and boundary kit in accordance with drawings SEQ-PSS- 1100-2, SEQ-PSS-1101-1 and SEQ-PSS-1102-1. <i>Note: A Compliance Permit to carry out plumbing and drainage works must be obtained prior to the commencement of any sanitary drainage works.</i> <i>Any future owners of the property must be notified of the above requirements.</i> <i>A Property Notation will be placed on Council's property management files to</i>	Prior to commencement of the use.
12.3	advise prospective purchasers of these sewer connection requirements. The premises must connect to Townsville City Council's reticulated water system. Note: Townsville City Council does not permit the direct connection of pump systems to water mains for firefighting purposes. Private building fire systems must comply with relevant building codes and standards.	Prior to commencement of the use
12.4	Electricity and telecommunications must be provided to the premise in accordance with the works code of the Townsville City Plan.	Prior to commencement of the use
12.5	Any required relocation and/or alteration to any public service or facility installation must be carried out at no cost to Townsville City Council.	Prior to commencement of the use and to be maintained

Cond	ition 13 – Potential contamination	Timing
13.1	Areas where potentially contaminating substances are stored or used, are roofed and sealed with concrete, asphalt or similar impervious substance and bunded.	At all times
13.2	Roof water is piped away from areas of potential contamination.	At all times

Cond	ition 14 – Hazardous materials	Timing
14.1	All flammable and combustible liquids (including hazardous waste materials) must be contained within an on-site containment system, controlled in a manner that prevents environmental harm and must be maintained in accordance with the current edition of <i>AS1940 – Storage and Handling of Flammable Combustible Liquids</i> .	
14.2	All containers must be secured to prevent movement during a flood event.	At all times

Cond	ition 15 – Waste management	Timing
15.1	The development must reuse, recycle or lawfully dispose of all water (other than treated wastewater released to land) generated by the development.	At all times
15.2	Solid waste is to be stored on site in vermin-proof facilities until it is transferred to a licensed refuse facility.	At all times

AP2023/007 – Townsville SDA – SDA approval Conditions: Material change of use for Freight Terminal

15.3	If bulk refuse facilities are applicable, the bulk refuse facility must:	Prior	to
	(a) be a suitable enclosure with concrete slab floor, with dimensions which exceed the size of the nominated bin size by at least 300mm at the rear and both sides and 600mm at the front	commencement use and to maintained	t of be
	(b) be within the curtilage of the premise in an accessible location to receive the service		
	(c) be graded and drained through an approved sediment/silt trap to legal sewer connection and		
	(d) be provided with a hose cock and hose in close proximity to the enclosure.		
	(e) have a minimum overhead clearance of 6.5m for refuse collection. Access for collection is not impeded by any overhead obstructions such as trees, wires or other structure. This minimum height must be maintained at all times.		

Cond	ition 16 – State-controlled road	Timing
16.1	Any excavation, filling/backfilling/compaction, retaining structures, stormwater management measures, batters and other works involving ground disturbance must not encroach upon or de-stabilise the State-controlled road corridors, including all transport infrastructure or the land supporting this infrastructure, or cause similar adverse impacts.	At all times
16.2	All works, buildings, structure, services and utilities within the State-controlled road reserve must be consistent with, and must not compromise, future upgrades of State transport infrastructure.	At all times
16.3	Dust or debris must not enter the State-controlled road during the construction phase of development.	As indicated

Cond	Condition 17 – Air contaminants		
17.1	Materials that are capable of generating air contaminants are	At all times	
	wholly enclosed in storage bins.		
17.2	All external areas are sealed (impervious), turfed or landscaped.	Prior	to
		commencement of	of
		use and to b	be
		maintained	

Cond	ition 18 – Stormwater drainage	Timing
18.1	Stormwater management of the development must ensure no	At all times
	worsening or actionable nuisance to the state-controlled road.	
18.2	Drainage from the development works/building must not adversely impact upon adjacent properties. Ponding, concentration or redirection of stormwater must not occur on adjoining land.	At all times
18.3	Drainage works must be designed and constructed in accordance with the latest edition of the Queensland Urban Drainage Manual and healthy waters code of the Townsville City Plan.	Prior to commencement of site works and to be maintained
18.4	Submit to the Coordinator-General and Townsville City Council, certification from a qualified and experienced Registered Professional Engineer of Queensland (RPEQ) that stormwater	Prior to commencement site works

drainage achieves the prescribed outcomes in accordance with the healthy waters code of the Townsville City Plan.
Note: Certification must reference SDA approval number AP2023/007 and be provided to:
Coordinator-General – <u>sdainfo@coordinatorgeneral.qld.gov.au</u> Townsville City Council – <u>developmentassessment@townsville.qld.gov.au</u>

Cond	ition 19 – Stormwater quality	Timing
19.1	Design and implement stormwater quality devices that achieve the pollutant reduction targets specified in the Townsville City Plan.	Prior to commencement of the use and maintained at all times.
19.2	An appropriately qualified and experienced RPEQ must certify that stormwater quality devices achieve the prescribed outcomes in accordance with condition 19.1. <i>Note: Certification must reference SDA approval number AP2023/007 and be provided</i> <i>to:</i>	Prior to commencement of the use
	Coordinator-General – <u>sdainfo@coordinatorgeneral.qld.gov.au</u> Townsville City Council – <u>developmentassessment@townsville.qld.gov.au</u>	

Condition 20 – Repair of damage		Timing
20.1	Repair any property fencing, roads and service infrastructure and	
	reinstate existing signage and pavement markings that have	
	been removed or damaged during any works carried out in	the use and ongoing
	association with the approved development.	

Condition 21 – Storage		Timing	
21.1	Goods, equipment, packaging material or machinery must not be	Prior	to
	stored or left exposed within the first 20m from any public road or	commencement	of
	thoroughfare.	the use and to	be
		maintained	

Condition 22 – Fire fighting				
22.1	The development must be provided with an adequate and	Prior	to	the
	accessible supply of water for firefighting purposes.	commen		
		the use		be be
	Note: Townsville City Council does not permit the direct connection of pump	maintain	ed	
	systems to water mains for firefighting purposes. Private building fire systems must comply with relevant building codes and standards.			

Cond	ition 23 – Lighting	Timing
23.1	Provide external lighting sufficient to provide safe ingress and	Prior to the
	egress for site users.	commencement of
		the use and to be
		maintained
23.2	Outdoor lighting must be provided in accordance with	Prior to the
	AS1158.1:2005 – Lighting for Roads and Public Spaces.	commencement of
		the use and to be
		maintained
23.3	Any flood lights or site illumination must be shielded, directed	Prior to the
	downwards and away from the State-controlled road so as not to	commencement of
	interfere with the vision of motorists.	the use and to be
		maintained

Cond	ition 24 – Landscaning	Timing
24.1	ition 24 – Landscaping Prepare a Landscape Plan (by a suitably qualified person) in accordance with Part 9.3.3 Landscape code of the Townsville City Plan. The Landscape Plan is to include the entire site and road reserve, including any identified staging.	Prior to the commencement of the construction and to be maintained thereafter
24.2	Landscaping must be constructed in accordance with the landscaping plan prepared in accordance with condition 24.1 and constructed to the relevant standards in accordance with relevant code/s and policy direction of the Townsville City Plan.	Prior to the commencement of the construction and to be maintained thereafter
24.3	Provide street trees on frontages of Lot 1 and 2, as set out in the Landscape code and associated policies of the Townsville City Plan. The preferred species for this location is Grevillea baileyana for the Western site frontage and Tristaniopsis laurina for the Southern site frontage.	Prior to commencement of the use and to be maintained thereafter.
24.4	Root barrier or other mechanical protection must be installed where sewer infrastructure is located in the road reserve adjacent to street trees. The root barrier must be installed approximately 700mm from centre of trunk (toward the sewer) and must extend 1.5m either side of trunk centre (parallel to the sewer alignment).	Prior to the commencement of the use and to be maintained thereafter
24.5	Maintain landscaping and replace any failed or failing trees or shrubs.	At all times

Cond	ition 25 – Construction Management	Timing
25.1	Prepare a construction management plan that includes the following: (a) employee and visitor parking areas	Prior to the commencement of construction
	(b) provision for loading and unloading materials including the location of any remote loading sites	
	(c) the storage location/s materials, structures, plant and equipment on the construction site;	
	 (d) management of noise and dust generated from the site during and outside construction work hours; 	
	 (e) a monitoring program to identify issues of non- compliance, actions for correcting any non-compliance and who is responsible for undertaking those actions; 	
	(f) a timetable and process for review of the construction management plan to assess its effectiveness and to implement amendments as required.	
25.2	Undertake all works generally in accordance with the construction management plan which must be current and available on site at all times during the construction period.	At all times during construction
25.3	Water to be used for dust mitigation is to be drawn from sources other than Townsville City Council's reticulated water supply should Level 3 or 4 water restrictions be in effect and / or imposed during the construction of the development.	At all times during the site works phase
25.4	Dust or debris must not enter the State-controlled road during the construction phase of development.	As indicated

Cond	ition 26 – Erosion and sediment control	Timing
26.1	Soil erosion and sediment control (SESC) plans must be prepared by a suitably qualified professional and submitted to Council for approval, with the proposed SESC measures to be designed in accordance with "Best Practice Erosion and Sediment Control" published by the International Erosion Control Association (Australasian Chapter) (IECA, 2008). The plans must demonstrate that the proposed SESC measures will achieve the erosion and sediment control design objectives specified in Appendix 2, Table A of the State Planning Policy 2017.	Prior to the commencement of site works and to be maintained during the site works phase
26.2	Prescribed Water Contaminants (as defined in the Environmental Protection Act 1994) must not be released from the site or to waters within the site, or be likely to be released should rainfall occur, unless all reasonable and practicable measures are taken to prevent or minimise the release and concentration of contamination. These measures must be designed, implemented and maintained in accordance with "Best Practice Erosion and Sediment Control" published by the International Erosion Control Association (Australasian Chapter) (IECA, 2008) and achieve the design objectives specified in Appendix 2, Table A of the State Planning Policy 2017.	Prior to the commencement of site works and to be maintained during the site works phase

Advice

Currency period

This SDA approval is valid until the end of the currency period, four years after the date of approval, unless the approval states a different period. For the SDA approval to remain valid the proponent must have, before the end of the currency period:

- (if the development is reconfiguring a lot) provided the plan of subdivision to the Coordinator-General for approval in accordance with the relevant development scheme; or
- (for all other development) substantially started the development; or
- made an application to the Coordinator-General to extend the currency period.

Other approvals

This approval relates solely to the material change of use for a Freight Terminal within the Townsville State Development Area. All other approvals and/or permits required under local, state and/or commonwealth legislation must be obtained prior to the commencement of the use.

Townsville City Council

Further Approvals Required

A Compliance Permit to carry out plumbing and drainage works prior to the commencement of sanitary drainage works.

A Roadworks permit for the construction of a driveway or access within the road reserve must be obtained.

For filling and excavation associated with this approval, an Operational works application must be submitted to Townsville City Council.

Building works

A Development Permit for Building Works must be obtained prior to building works commencing on site.

Prior to the issuing of a Development Permit for Building Works, documentation signed by a RPEQ must be submitted to a Building Certifier identifying the required minimum floor height of all habitable rooms to achieve storm tide/flood immunity.

Infrastructure charges

An Infrastructure Charges Notice outlining the estimated infrastructure contributions payable relevant to the SDA approval is attached for your information.

Water restrictions

To manage Townsville's water resources, council regulates water restrictions on a permanent basis. All development undertaken in Townsville must be mindful of the current and projected level of water restrictions that may affect development activities such as landscaping establishment and/or soil erosion and sediment control.

Developers remain responsible for compliance with any water restrictions as directed by Townsville City Council.

During times of significant water shortage, Townsville City Council may refuse to grant developer exemptions from water restrictions for the purposes of landscaping works or soil erosion and sediment control activities.

In circumstances where exemptions to water restrictions are no longer issued by Townsville City Council, bonding of soft landscaping works will be permitted to enable the release of plans of survey and / or compliance certificates. In cases where the soft landscaping is a component of permanent soil erosion and sediment control (such as an open drain) the use of "bonded fibre matrix" type hydro-mulch products or other suitable soil erosion and sediment control methods can be carried out as alternatives to demonstrate compliance with water restrictions.

The responsibility for compliance with all relevant environmental protection requirements (in particular sediment and erosion control) remains with the developer.

Connection to services

A copy of the SDA approval and the approved water reticulation design must be submitted to Townsville City Council with the appropriate application form for connection to Townsville City Council's water supply. Townsville City Council will respond to the application with a quotation for the work and upon payment will schedule the works for connection.

A copy of the SDA approval and the approved sewer reticulation design must be submitted to council with the appropriate application form for connection to Townsville City Council's sewer supply. Townsville City Council will respond to the application with a quotation for the work upon payment will schedule the works for connection.

<u>Signage</u>

Plans of any signage to be associated with the use that is deemed to be assessable development in accordance with the Categories of development and assessment - Operational work, specifically Operational work being placing an advertising device on premises of the Townsville City Plan, must be submitted to council for assessment.

Signs must be designed in accordance with relevant codes of the Townsville City Plan. To maintain amenity for the adjoining properties, no illumination of the signage is to occur unless otherwise approved by council.

Construction

Storage of Materials and Machinery

All materials and machinery to be used during the construction period are to be wholly stored on the site, unless otherwise approved.

Building Work Noise

The hours of audible noise associated with construction and building work on site must be limited to between the hours of:

- a. 6.30 a.m. to 6.30 p.m. Monday to Saturday
- b. No work on Sundays or Public Holidays.

Liquid Trade Waste Approval/Agreement

The developer is advised that a Trade Waste Approval/Agreement may be required under the *Water Supply (Safety and Reliability) Act 2008.* This should be discussed with Townsville City Council's Planning Services team at an early stage of project development. Contact Tradewaste@townsville.qld.gov.au or 13 48 10.

<u>Asbestos</u>

All asbestos being removed from the site must be transported and disposed in accordance with relevant legislation.

Flammable and Combustible Liquids

Flammable and combustible liquids are to be stored and handled in accordance with AS1940— The Storage and Handling of Flammable and Combustible Liquids.

Chemical Storage

Where chemicals are stored or handled on site, the storage and handling of chemicals must be in accordance with the relevant WHS Code of Practice.

Roadworks Approval

The developer is responsible for obtaining a Roadworks permit in accordance with Subordinate Local Law No. 1.15 (Carry out Works or Interfering with a Road or its Operation) 2011 for the installation of any hoardings, gantries or temporary road closures of the footpath or road prior to the commencement of works. The application must indicate the following:

- a. Completed Roadworks permit application form
- b. Prescribed fee
- c. Traffic Management Plan prepared by a suitable qualified traffic professional detailing the traffic management measures put in place to manage all Roadworks including pedestrians, cyclists and vehicles in accordance with the Manual of Uniform Traffic Control Devices (Queensland) Part 3 Works on Roads.

If the works require closure of part of the road reserve, a temporary Road Closure Permit will be required. This permit allows for a section of road reserve to be closed for the purpose of works. The Queensland Police Service is the issuing authority for these permits. An application will need to be made to Townsville City Council for a letter of 'no objection' prior to applying to the Queensland Police Service for the permit. The Traffic Management Plan will need to be included with the application to Townsville City Council.

Clinical/Medical Waste

If this development has the potential to generate or handle clinical and regulated waste material. Clinical and medical related waste it is to be handled in accordance with AS/NZS3816:1998 Australian Standard/New Zealand Standard – Management of clinical and related wastes.

Environmentally Relevant Activities

Where the premises is intended to be used for carrying out an Environmentally Relevant Activity as defined by the Environmental Protection Regulation 2019, an application under *the Planning Act 2016* and the *Environmental Protection Act 1994* must be submitted to the relevant administering authority prior to the commencement of the use.

Environmental Management Register

If the business meets the threshold specified in Schedule 3 of the *Environmental Protection Act 1994* for a notifiable activity, it has a responsibility under section 371(1) of the *Environmental Protection Act 1994* to notify the administering authority (Department of Environment and Science) within 22 business days of the use commencing.

Food Business

Where a food business is required to be licensed under the *Food Act 2006* Section 49, a Food Licence Application must be made prior to construction of the food premises. Please contact Townsville City Council's Environmental Health team on 13 48 10 for further information.

Cultural Heritage Duty of Care

Where items of archaeological importance are identified during construction of the project, the proponent must comply with its duty of care under the *Aboriginal Heritage Act 2003* and the Department of Environment and Heritage Protection (2014) *Guidelines: Archaeological investigations.* All work must cease and the relevant State agency must be notified. Work can resume only after State agency clearance is obtained.

Department of Transport and Main Roads

Approval is required for any works, encroachments or activities on the state-controlled road under the *Transport Infrastructure Act 1994*. Please contact the Department of Transport and Main Roads via email North.Queensland.Idas@tmr.qld.gov.au to make an application and discuss specific requirements for the proposed works, encroachment or activity. TMR design acceptance is required for any RPEQ certified drawings prior to the commencement of any works or encroachments. Procurement of materials may also be required from TMR's preferred suppliers dependent on the type of works to be undertaken.

Enclosure 1 – Infrastructure charges notice



Infrastructure Charges Notice

Townsville City Council

To:	Mcdonald Constructions	Notice Date:	15 Aug 2023
	C/- Northpoint Planning PO Box 4	Issue Date:	15 Aug 2023
	Townsville City Qld 4810	Infrastructure charges notice number:	ICN-001486
		Application reference:	CAR23/0255

Type of approval:	Concurrence Agency Referral
Description:	Early Referral Entity Response for a Freight Terminal in the TSDA
Charges Resolution:	Infrastructure Charges Resolution - 1 July 2023

Premises to which	Primary site address:
the levied charge applies	2 Penelope Road, Stuart QLD 4811
	Real property description:
	Lot 1 SP 331994 & Lot 2 SP 331994

About this notice The Council has decided to give an Infrastructure Charges Notice,	
	states a levied charge the details of which are stated below, for the development of the premises that is the subject of the development
	approval.

Applicable levied charge	Applicable levied charge	\$105,793.80
Infrastructure charges notice advice	Infrastructure Agreements: If an Infrastructure Agreement applies to this developme of any inconsistency, the Infrastructure Agreement applie Infrastructure Charges Notice.	
Charges reductions	No charges reductions apply.	
Other adjustments	No other adjustments apply.	

Other adjustments	No other adjustments apply.
Cost of trunk	Subject to Infrastructure Agreement IA/00093
infrastructure for offset	

How the levied charge was worked out	e Details of how the applicable levied charge and any charge reduction other adjustments, and the cost of trunk infrastructure for offsets a refunds have been worked out are provided in the detailed calculat section of this Infrastructure Charges Notice.		
Why the charge is levied	The charge is levied in accordance with Council's Infrastructure Charge Resolution to accompany any Townsville State Development Area Development Approval assessed against the State Development and Public Works Organisations Act 1971.		
Increase of levied charge (automatic increase provision)	The levied charge may be increased from the date of this notice to the day the levied charge is paid by the Producer Price Index (PPI), adjusted according to the 3 year moving average quarterly percentage change between financial quarters in accordance with Council's infrastructure charges resolution.		
Date levied charge is payable	Once payment is due, a levied charge is, for the purpose of recover, taken to be rates of the Council. A notation will be placed on the premises in Council's Property Database that will be discoverable by prospective purchases that a levied charge is outstanding. This will be removed once full payment is received. Should the levied charge remain outstanding, it will be considered a debt on the land, interest of 8.03% per annum compounded daily applies and Council may take legal action to recover the debt, in accordance with Council's debt recovery policy.		

Making a payment	Before paying the levied charge you must request an invoice showing the total levied charge payable at the time of payment including any automatic increase.			
Appeal rights	If you are dissatisfied with this Infrastructure Charges Notice, under			

Appeal rights	If you are dissatisfied with this Infrastructure Charges Notice, under
	Section 229 (3) (d) of the <i>Planning Act 2016</i> you may appeal against an
	Infrastructure Charges Notice within twenty (20) business days after
	receiving the Notice.

or refund

Calculation Details

Infrastructure charges notice number:	ICN-001486
Application reference:	CAR23/0255
Type of approval:	Concurrence Agency Referral
Applicable resolution:	Infrastructure Charges Resolution - 1 July 2023

1. How the levied charge was worked out

Development

Land Use	Development Unit	Proposed Development	Existing Development	Net Development
Warehouse (Other warehouse)	GFA (m2)	7550	0	7550
Warehouse (Other warehouse)	GFA (m2)	260	0	260
Low impact industry	GFA (m2)	364	0	364
Vacant lot (Other zonings on lots 500m2 and greater)	Lot	0	2	-2

Applicable levied charge

Land Use Adopted rate	Development Unit	Net Development	Adopted Charge Rate \$/unit	Charge \$
•				
Warehouse (Other warehouse)	GFA (m2)	7810	\$20.54	\$160,417.40
Low impact industry	GFA (m2)	364	\$21.60	\$7,862.40
Vacant lot (Other zonings on lots 500m2 and greater)	Lot	-2	\$31,243.00	(\$62,486.00)
<u>_</u>	\$105,793.80			

2. How the charges reduction and other adjustments were worked out

No charges reductions apply.

No other adjustments apply.

Enclosure 2 – Audit report

The following information will be required in an audit report:

- Details of the development approval, including the SDA approval number, the date of approval and a summary of the audit reporting requirements. This should include a schedule of the dates by which audit reporting is to be provided to the Coordinator-General.
- Details of the independent, suitably qualified person(s) (see Schedule 1 in the Townsville SDA Development Scheme) (the auditor) responsible for preparing the audit report, including the auditor(s):
 - name, position, company and contact details
 - qualifications and experience
 - proof that the auditor is an independent third party unaffiliated with the proponent.
- Details of any external suitably qualified person(s) used to supplement reports/plans outside of the auditor's expertise.
- Details of any compliance reporting which has previously been provided to the Coordinator-General for the purpose of complying with Schedule 3 of the Townsville SDA Development Scheme.
- An audit evaluation matrix including but not limited to:
 - each condition of the SDA approval, and the status of the condition at the end of the relevant audit period
 - where a condition is current or complete, (to be activated, activated, complete), whether compliance has been achieved (compliant, non-compliant or not applicable), how compliance has been achieved (description of works, tasks or actions undertaken) and how the evaluation of the audit has been undertaken
 - a full description of the relevant standards, practices etc. against which works have been assessed together with evidence (reports, site photographs, certification documentation) to support the evaluation of the works against the compliance standards
 - the title, date, location and holder of any documentation referred to in the compliance evaluation matrix but not provided with the audit to allow the Coordinator-General to call upon these documents as required
 - details of any non-compliances identified by any party during the current audit period and a methodology specifying how compliance has been/will be achieved and by when it will be achieved, and
 - details of previous audit reports (if relevant) with an update on any non-compliance, corrective actions and revised practices (as relevant) undertaken and the current status of any corrective actions.
- Additional evidence to support the compliance evaluation, including the date and locations of any site inspection/s conducted during the preparation of the audit report and details of any employees of the proponent interviewed for the audit.
- The auditor's declaration whereby the auditor:
 - certifies the conditions contained in the SDA approval have been satisfactorily complied with, subject to any qualifications which the author has outlined in the audit report

- certifies that to the best of the auditor's knowledge, all information provided in the audit report is true, correct and complete, and
- acknowledges it is an offence under section 1570 of the *State Development and Public Works Organisation Act 1971*, to give the Coordinator-General a document containing information the auditor knows is false or misleading in any material particular.
- Any further attachments the auditor considers relevant to the audit report.

An audit report guideline has been prepared to provide guidance to proponents and auditors in compiling audit reports. The guideline is available on the Department of State Development, Infrastructure, Local Government and Planning website at https://www.statedevelopment.qld.gov.au/coordinator-general/state-development-areas/development-general/state-development-areas/development-schemes-applications-and-requests or by contacting the Planning and Services Division on 1800 001 048 or via sdainfo@coordinatorgeneral.qld.gov.au.